

TECHNICAL EVALUATION REPORT (SUMMARY)

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage two Envelopes
3. Title of Procurement: Procurement of SMD, LED/Video wall for University of Health Sciences, Lahore.
4. Tender Inquiry No: UHS/PUR/1443/22
5. Date & Time of Bid Closing: 10-02-2022 at 11:00 AM
6. Date & Time of Bid Opening 10-02-2022 at 11:30 AM
7. Nos. of Bids Received: 06
8. Criteria for Bid Evaluation: Technical Qualification

LOT 1: Procurement of SMDs for Shams Auditorium, UHS Lahore

Sr. No	Item	Specifications	Qty	Mustang	Solution links	Shandar Traders	CARTIVO	Vital International	Orient AV
1	SMD Screen: P 2.5 Curve Indoor Full Colour LED Display 21 ft (W) x 27 inch (H)	<ul style="list-style-type: none"> ➤ Pixel Pitch 2.5mm ➤ Material Iron structure ➤ Brightness Up to 400 cd/m² ➤ Brightness Control ➤ View Distance 6-100 m ➤ View Angle Horizontal: 140 °, Vertical: 120 ° ➤ Power Supply AC220V/110V/50 Hz, or manual switch ➤ Life Time 50,000 hours ➤ Trouble Free Time 10,000 hours ➤ Operation Temperature - 20 °C~ +65 °C ➤ Operation Humidity 10% ~ 75% ➤ Data Sending Card HDMI supported and WIFI ➤ Data Receiving Card ➤ LED Control Software ➤ Wall mounted iron structure 	01	<p>Pixel Pitch 2.5 mm SV2.5 LEYARD</p> <p>LED Control Software NOVA</p> <p>Qualified</p>	<p>Ruiling Huangshen P2.5</p> <p>(Authorization Letter Missing)</p> <p>**Disqualified</p>	<p>JDX SOFT LED P2.5</p> <p>Qualified</p>	<p>Qiangli SMD P2.5</p> <p>(Authorization Letter Missing)</p> <p>**Dis-qualified</p>	<p>Not Quoted</p>	<p>Not Quoted</p>

Signature

		<ul style="list-style-type: none"> ➤ HDMI connection to custom, Electrical Work Installation and Configuration ➤ Complete cabling ➤ Solution to display through HDMI to Computer 							
2	<p>SMD Screen: P2.5 Indoor Full Colour LED Display 13 ft (W) x 8 ft (H)</p>	<ul style="list-style-type: none"> ➤ Pixel Pitch 2.5mm ➤ Led lamp 1515 ➤ Module size 320mm X 160mm ➤ Material Iron structure ➤ Brightness Up to 400 cd/m² ➤ Colours 28 trillion (HD Resolution) ➤ Brightness Control 255 degree by software ➤ View Distance 6-100 m ➤ View Angle Horizontal: 140 °, Vertical: 120 ° ➤ Power Supply AC220V/110V/50 Hz, or manual switch ➤ Refresh Rate >1920Hz/s, can be adjusted ➤ Control Mode Asynchronous with PC ➤ Life Time 50,000 hours ➤ Trouble Free Time 10,000 hours ➤ Operation Temperature - 20 °C~ +65 °C ➤ Operation Humidity 10% ~ 75% ➤ Sending Card HDMI supported ➤ Receiving Card ➤ LED Control Software ➤ Wall mounted structure ➤ HDMI connection to 	01	<p>Pixel Pitch 2.5 mm SV2.5 LEYARD</p> <p>LED Control Software NOVA BRAND</p> <p>Qualified</p>	<p>Qiangli SMD P2.5 (Authorization Letter Missing)</p> <p>**Disqualified</p>	<p>Qiangli SMD P2.5</p> <p>Qualified</p>	<p>Qiangli SMD P2.5 (Authorization Letter Missing)</p> <p>**Dis-qualified</p>	<p>Not Quoted</p>	<p>Not Quoted</p>

Jealun

		<p>custom, Electrical Work Installation and Configuration</p> <ul style="list-style-type: none"> ➤ Complete cabling with 9u rack ➤ Solution to display through HDMI to Computer. ➤ Front screen duplicate display 							
3.	<p>SMD Screen: P3 Indoor Full colour LED Display 9 ft (W) x 6 ft (H)</p>	<ul style="list-style-type: none"> ➤ Pixel Pitch 3mm ➤ Module size 192mm X 192mm ➤ Material Iron structure ➤ Brightness Up to 400 cd/m² ➤ Brightness Control ➤ View Distance 6-100 m ➤ View Angle Horizontal: 140 °, Vertical: 120 ° ➤ Power Supply AC220V/110V/50 Hz, or manual switch ➤ Refresh Rate >1920Hz/s, can be adjusted ➤ Control Mode Asynchronous with PC ➤ Life Time 50,000 hours ➤ Trouble Free Time 10,000 hours ➤ Operation Temperature -20 °C~ +65 °C ➤ Operation Humidity 10% ~ 75% ➤ Sending Card HDMI supported ➤ Receiving Card ➤ LED Control Software ➤ Wall mounted structure ➤ HDMI connection to custom, Electrical Work Installation and Configuration 	01	<p>Pixel Pitch 2.5 mm SV5 LEYARD</p> <p>LED Control Software</p> <p>NOVA BRAND</p> <p>Qualified</p>	<p>Qiangli SMD Screen P3</p> <p>(Authorization Letter Missing)</p> <p>**Disqualified</p>	<p>Qiangli SMD P3</p> <p>Qualified</p>	<p>Qiangli SMD P3</p> <p>(Authorization Letter Missing)</p> <p>**Disqualified</p>	<p>Not Quoted</p>	<p>Not Quoted</p>

Handwritten signature