

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender for Procurement of Audio Visual Equipment with Installation & Configuration for PSDC, Jinnah Campus, KSK, UHS - 24/3070-B
4. Date & Time of Bid Closing: 04-08-2025 - 03:00 PM
5. Date & Time of Bid Opening: 04-08-2025 - 03:30 PM
6. No. of bids received: 02

Sr #	Items with specifications	Bidder Name	
		1	2
		M/s World Wide Vision	M/s Yaiya Hussain
1	Upload Copy of valid CNIC of authorized person	✓	Non-Responsive / non-Qualified (Due to incomplete technical bid/ Bid Data Sheet not uploaded)
2	Upload Copy of NTN /GST of company	✓	
3	Upload Copy of Professional Tax of Company	✓	
4	Upload copy of documents Registered with Tax Department(s): Declaration issued by Tax Department, Registration with tax department / Tax Returns/ Tax paid / Active tax payer status in FBR record	✓	
5	Upload Copy of Bank Guarantees / CDR / PO per Bid Security and submit original in finance department of UHS on or before closing date and time	✓	
6	Upload copy of Bank Account Maintenance: Fresh Certificate issued by bank that the account is being maintained since when and the title of account is what,	✓	
7	Last 01-year bank account statement	✓	
8	Upload copy of Undertaking on Stamp Paper for non-blacklisting	✓	
9	Upload copy of bid document of UHS with each page signed and stamped	✓	

Dr. Faris S.A. W. Badi W.

Sr #	Items with specifications	Bidder Name	
		1	2
		M/s World Wide Vision	M/s Yahya Hussain
10	Upload copy of a valid authorization certificate from the primary / principle manufacturer is required. If the evidence of manufacturing is provided by the manufacturer, it should be included as well (if required)	✓	Non-Responsive / non-Qualified
11	Upload copy of Portfolio of Firm (supporting documents should be attached)	✓	(Due to incomplete technical bid/ Bid
12	Experience of Supplying / Dealing with subject items, Bidder should be in relevant business from last one year	✓	Data Sheet not uploaded)
13	Details of Businesses with Govt. Departments / other reputed firms, Total No. of tenders / transactions along with total financial value shall be mentioned. The Bidder shall be submitted minimum three (3) purchase/work orders	✓	

It is hereby confirmed that all bids were evaluated against the laid specifications and found 01 Bid is qualified. Comparative statement (summary/detail) is being submitted to Technical Committee, UHS for further necessary action.

TECHNICAL COMMITTEE: 26-08-2025

Technical committee met on 26-08-2025 to consider the Technical Evaluation Report following single stage two envelopes bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).


End User

AV Section, UHS

Co-Opted (Member)


Technical Officer (SHC&ME)

Member


Dr. Umera Saleem

Member


Dr. Saba Khaliq

Co-Convener


Prof. Uruj Zehra

Convener

TECHNICAL EVALUATION REPORT

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRRA Rules 2014 (amended)
3. Title of Procurement: Tender for Procurement of Audio Visual Equipment with Installation & Configuration for PSDC, Jinnah Campus, KSK, UHS - 24/3070-B
4. Date & Time of Bid Closing: 04-08-2025 - 03:00 PM
5. Date & Time of Bid Opening: 04-08-2025 - 03:30 PM
6. No. of bids received: 02

Sr #	Items	Specification	Qty	Bidder Name	
				1	2
				M/s World Wide Vision	M/s Yahya Hussain

BOSCH CCS1000 Conference System

1	Multimedia Ceiling Kit	Projector Ceiling Mount Kit (Square Type) Stand 3 feet adjustable, imported Quality Stand Heavy Metal	1	Responsive / Qualified Multimedia Ceiling Kit	Non-Responsive / non-Qualified (Due to incomplete technical bid/ Bid Data Sheet not uploaded)
	Ceiling Camera Hanger/ Camera Stand	The ceiling-mounted video conferencing camera hanger/stand shall provide a secure, adjustable, and aesthetically pleasing solution for hanging video conferencing cameras from the ceiling. It ensures optimal camera positioning for clear video capture during meetings, conferences, and other collaborative environments. The stand should accommodate various types of video conferencing cameras, including PTZ (Pan-Tilt-Zoom), fixed cameras, and wide-angle cameras. High-strength, corrosion-resistant steel or aluminum alloy construction. The structure should support cameras up to 08kg weight. Secure and solid mounting system with reinforced screws, brackets, or locking mechanism. Mechanism designed to ensure vibration-free operation during video calls. Integrated cable management channels or clips to neatly conceal and route cables. Support for power, video, and audio cables. Suitable for flat and sloped ceilings with appropriate installation hardware with adjustable tilt, pan & rotate capabilities for optimal camera positioning and viewing angle. Adjustable tilt (up to 90 degrees) and pan (up to 360 degrees) to cover wide areas and provide flexible camera angles. The stand should offer a sleek, modern appearance that integrates with professional video conferencing setups.	1	Responsive / Qualified Ceiling Camera Hanger / Camera Stand	







Sr #	Items	Specification	Qty	Bidder Name	
				1	2
				M/s World Wide Vision	M/s Yahya Hussain
	Central Control Unit with recording & Dafs	Open microphone control. USB port for recording up to 64 GB or higher. Built-in digital recorder with at least 150 MB of internal memory to record up to 6 hours of discussions. Web browser control to turn Conferencing Units on or off and access recordings. Plug-and-play functionality. support for a minimum of 50 delegates and up to 150 delegates. Discussion control modes: • Voice activation • Override mode • Open mode • Push-to-talk Built-in speaker with feedback suppression. controls and Indicators: - • Microphone button for operating modes. Recording/ Playback (bit rate): 64, 96, 128, 256 Kbit/Sec or higher • Volume adjustment buttons • Power on/off • Open microphone button to select the number of microphones that can be activated simultaneously • Recording/ Playback (sample frequency): 44.1 kHz or better	1	Responsive / Qualified Make: Bosch, Model: CCSD-CURD	Non-Responsive / non-Qualified (Due to incomplete technical bid/ Bid Data Sheet not uploaded)
2	Chairman Unit with microphone	GSM immunity. Configurable as a participant or chairperson's device. 31 cm microphone stem. Indication for possible-to-speak. Built-in loudspeaker with volume control. Indication for request to speak. Connections: • Stereo headphone socket • Connector for loop-through connection of Discussion Devices. Loudspeaker output: 72 dB SPL or better Frequency response: 200 Hz to 16 kHz or better Participant microphone frequency response: 125 Hz to 15 kHz or better	1	Responsive / Qualified Make: Bosch, Model: CCSD-DS	
3	Delegate Unit with microphone		14	Responsive / Qualified Make: Bosch, Model: CCSD-DS	

Q! *[Signature]* *[Signature]* *[Signature]*

Sr #	Items	Specification	Qty	Bidder Name	
				1	2
				M/s World Wide Vision	M/s Yanha Hussain
4	Handheld Wireless Microphone with Receiver	Handheld Wireless Microphone with Receiver PLL Synthesized technology. Number of Channels = 32 Modulation ± 40 KHz, Diversity True Antenna, Image Rejection >55 dB, Frequency Response 80 Hz – 18 KHz ± 2 dB, S/N ratio > 100 dB, Dynamic Range >95 dB, distortion $<1.0\%$, 0.4% . LCD displaying channel, frequency, mute, and battery level.	1	Responsive / Qualified Make: Electrovoice, Model: R300 HD	Non-Responsive / non-Qualified (Due to incomplete technical bid/ Bid Data Sheet not uploaded)
5	Plena Mixer Amplifier	Supports at least 3 line inputs or higher Includes at least 1 music source input. Features First Channel Priority function. Provides 110 watts of power or higher. Indicators for -18, -12, -6, -3, and 0 dB levels or better. Master volume for overall control. Individual volume for each microphone input (3 or more). Frequency response from 80 Hz to 15 KHz or better Speech filter with a -3 dB cutoff at 315 Hz or better	1	Responsive / Qualified Make: Bosch, Model: PLE-1ME120-EU	
6	Ceiling speakers	Must delivers best quality sound for both music and speech. ABS or equivalent material. Power output of 8 W or better. Rated power at 6 W or better Sound level at 6 W power and 1 W (1 KHz, 1 m): 94 dB or better Frequency range (-10 dB): 100 Hz to 15 KHz or better.	8	Responsive / Qualified Make: Bosch, Model: LC3-UC06	
7	Docking Hub	AV docking hub connects devices like monitors, cameras, and speakers, offering HDMI, USB, and Ethernet ports. It supports high-resolution video, device charging, and may include wireless or audio processing features.	1	Responsive / Qualified Make: Vention	
8	Extension cable	Cable terminated at both ends with a molded six-pole circular connector (male and female). The extension to the type number gives the length of the cable 10 meters	1	Responsive / Qualified Make: Bosch, Model: 4116/10	






Sr #	Items	Specification	Qty	Bidder Name	
				1	2
				M/s World Wide Vision	M/s Yahya Hussain
9	Speaker cable	Speaker cable 2 Core, 40x76, 90 Meter roll	1	Responsive / Qualified HK Speaker Cable	Non-Responsive / non-Qualified (Due to incomplete technical bid/ Bid Data Sheet not uploaded)
10	Installation material	Duct patti or steel /sliver patti or according to room need 9u cabinet (including PDUs, power extension etc) for equipment.	01 Job	Responsive / Qualified Installation Material	
11	Wooden trolley	A wooden trolley with four tires, featuring a wooden frame and a glass door to securely house the amplifier, providing both functionality and aesthetic appeal.	1	Responsive / Qualified Wooden Trolley	
12	Surveillance Cameras	Dahua IP Camera 2MP OR Equivalent	4	Responsive / Qualified Make: Dauha, Model: DH-IPC- HFW1230S1AS5 Dauha 4-Channel NVR	
		3M CAT6 Cable Roll(305m) OR Equivalent	1	Responsive / Qualified Dauha CAT 6 Cable	
		POE Switch 8 Port with 2 RJ45 Uplinks	1	Responsive / Qualified Make: Dauha, Model: DH- PFS3010-8GT-65	

[Handwritten signatures and initials in blue ink]

Sr #	Items	Specification	Qty	Bidder Name	
				1	2
				M/s World Wide Vision	M/s Yahya Hussain
		Cable Tie Pack 8 Inches	1	Responsive / Qualified Cable Tie	Non-Responsive / non-Qualified (Due to incomplete technical bid/ Bid Data Sheet not uploaded)
13	LCD	50" Crystal UHD DU8000 4K Tizen OS Smart TV (2024) OR Equivalent	1	Responsive / Qualified Make: Samsung, Model: 50" DU 8000	
14	Installation & Commissioning	Complete installation, commissioning and testing	1	Responsive / Qualified 1 Job	

Responsive / Qualified Bidders	Non-Responsive / non-Qualified Bidders
M/s World Wide Vision	M/s Yahya Hussain

TECHNICAL COMMITTEE: 26.08.2025
 Technical committee met on _____ to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).

[Signature] **End User** **AV Section, UHS** **Technical Officer (SHC&ME)** **Dr. Umera Saleem** **Dr. Saba Khalique** **Prof. Uruj Zehra**
 Co-Opted (Member) Co-Opted (Member) Member Member Member Co-Convenor Convenor

IT EXPERTS' EVALUATION REPORT

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender for Procurement of Audio Visual Equipment with Installation & Configuration for PSDC, Jinnah Campus, KSK, UHS - 24/3070-B
4. Date & Time of Bid Closing: 04-08-2025 - 03:00 PM
5. Date & Time of Bid Opening: 04-08-2025 - 03:30 PM
6. No. of bids received: 02

Sr #	Items	Specification	Qty	Bidder Name	
				1	2
				M/s World Wide Vision	M/s Yanha Hussain
BOSCH CCS1000 Conference System					
1	Multimedia Ceiling Kit	Projector Ceiling Mount Kit (Square Type) Stand 3 feet adjustable, Imported Quality Stand Heavy Metal	1	Responsive / Qualified Multimedia Ceiling Kit	Non-Responsive / non-Qualified (Due to incomplete technical bid/ Bid Data Sheet/BoQ not uploaded)
2	Ceiling Camera Hanger/ Camera Stand	The ceiling-mounted video conferencing camera hanger/stand shall provide a secure, adjustable, and aesthetically pleasing solution for hanging video conferencing cameras from the ceiling. It ensures optimal camera positioning for clear video capture during meetings, conferences, and other collaborative environments. The stand should accommodate various types of video conferencing cameras, including PTZ (Pan-Tilt-Zoom), fixed cameras, and wide-angle cameras. High-strength, corrosion-resistant steel or aluminum alloy construction. The structure should support cameras up to 08kg weight. Secure and solid mounting system with reinforced screws, brackets, or locking mechanism. Mechanism designed to ensure vibration-free operation during video calls. Integrated cable management channels or clips to neatly conceal and route cables. Support for power, video, and audio cables. Suitable for flat and sloped ceilings with appropriate installation hardware with adjustable tilt, pan & rotate capabilities for optimal camera positioning and viewing angle. Adjustable tilt (up to 90 degrees) and pan (up to 360 degrees) to cover wide areas and provide flexible camera angles. The stand should offer a sleek, modern appearance that integrates with professional video conferencing setups.	1	Responsive / Qualified Ceiling Camera Hanger / Camera Stand	






Sr #	Items	Specification	Qty	Bidder Name	
				1	2
				M/s World Wide Vision	M/s Yahya Hussain
3	Central Control Unit with recording & Dafs	Open microphone control. USB port for recording up to 64 GB or higher. Built-in digital recorder with at least 150 MB of internal memory to record up to 6 hours of discussions. Web browser control to turn Conferencing Units on or off and access recordings. Plug-and-play functionality. support for a minimum of 50 delegates and up to 150 delegates. Discussion control modes: • Voice activation • Override mode • Open mode • Push-to-talk Built-in speaker with feedback suppression. controls and Indicators: - • Microphone button for operating modes. Recording/ Playback (bit rate): 64, 96, 128, 256 Kbit/Sec or higher • Volume adjustment buttons • Power on/off • Open microphone button to select the number of microphones that can be activated simultaneously • Recording/ Playback (sample frequency): 44.1 kHz or better	1	Responsive / Qualified Make: Bosch, Model: CCSD-CURD	Non-Responsive / non-Qualified (Due to incomplete technical bid/ Bid Data Sheet /BoQ not uploaded)
4	Chairman Unit with microphone	GSM immunity. Configurable as a participant or chairperson's device. 31 cm microphone stem. Indication for possible-to-speak. Built-in loudspeaker with volume control. Indication for request to speak. Connections: • Stereo headphone socket • Connector for loop-through connection of Discussion Devices. Loudspeaker output: 72 dB SPL or better Frequency response: 200 Hz to 16 kHz or better Participant microphone frequency response: 125 Hz to 15 kHz or better	1	Responsive / Qualified Make: Bosch, Model: CCSD-DS	
5	Delegate Unit with microphone	Connections: • Stereo headphone socket • Connector for loop-through connection of Discussion Devices. Loudspeaker output: 72 dB SPL or better Frequency response: 200 Hz to 16 kHz or better Participant microphone frequency response: 125 Hz to 15 kHz or better	14	Responsive / Qualified Make: Bosch, Model: CCSD-DS	
6	Handheld Wireless Microphone with Receiver	Handheld Wireless Microphone with Receiver PLL Synthesized technology. Number of Channels = 32 Modulation $\pm$ 40 kHz, Diversity True Antenna, Image Rejection >55 dB, Frequency Response 80 Hz – 18 kHz $\pm$ 2 dB, S/N ratio > 100 dB, Dynamic Range >95 dB, distortion <1.0%, 0.4%. LCD displaying channel, frequency, mute, and battery level.	1	Responsive / Qualified Make: Electrovoice, Model: R300 HD	

[Handwritten signature]

Sr #	Items	Specification	Qty	Bidder Name	
				1	2
				M/s World Wide Vision	M/s Yahya Hussain
7	Plena Mixer Amplifier	Supports at least 3 line inputs or higher Includes at least 1 music source input. Features First Channel Priority function. Provides 110 watts of power or higher. Indicators for -18, -12, -6, -3, and 0 dB levels or better. Master volume for overall control. Individual volume for each microphone input (3 or more). Frequency response from 80 Hz to 15 kHz or better Speech filter with a -3 dB cutoff at 315 Hz or better	1	Responsive / Qualified Make: Bosch, Model: PLE-1ME120-EU	Non-Responsive / non-Qualified (Due to incomplete technical bid/ Bid Data Sheet/BoQ not uploaded)
8	Ceiling speakers	Must delivers best quality sound for both music and speech. ABS or equivalent material. Power output of 8 W or better. Rated power at 6 W or better Sound level at 6 W power and 1 W (1 kHz, 1 m): 94 dB or better Frequency range (-10 dB): 100 Hz to 15 kHz or better.	8	Responsive / Qualified Make: Bosch, Model: LC3-UC06	
9	Docking Hub	AV docking hub connects devices like monitors, cameras, and speakers, offering HDMI, USB, and Ethernet ports. It supports high-resolution video, device charging, and may include wireless or audio processing features.	1	Responsive / Qualified Make: Vention	
10	Extension cable	Cable terminated at both ends with a molded six-pole circular connector (male and female). The extension to the type number gives the length of the cable 10 meters	1	Responsive / Qualified Make: Bosch, Model: 4116/10	
11	Speaker cable	Speaker cable 2 Core, 40x76, 90 Meter roll	1	Responsive / Qualified HK Speaker Cable	
12	Installation material	Duct patti or steel /silver patti or according to room need 9u cabinet (including PDUs, power extension etc) for equipment.	01 Job	Responsive / Qualified Installation Material	
13	Wooden trolley	A wooden trolley with four tires, featuring a wooden frame and a glass door to securely house the amplifier, providing both functionality and aesthetic appeal.	1	Responsive / Qualified Wooden Trolley	

88. Javed

Sr #			Items	Specification	Qty	Bidder Name	
						1	2
						M/s World Wide Vision	M/s Yahya Hussain
14	Surveillance Cameras	Dahua IP Camera 2MP OR Equivalent	4	Responsive / Qualified Make: Dauha, Model: DH-IPC-HFW1230S1AS5 Dauha 4-Channel NVR	Non-Responsive / non-Qualified (Due to incomplete technical bid/ Bid Data Sheet/BoQ not uploaded)		
		3M CAT6 Cable Roll(305m) OR Equivalent	1	Responsive / Qualified Dauha CAT 6 Cable			
		POE Switch 8 Port with 2 RJ45 Uplinks	1	Responsive / Qualified Make: Dauha, Model: DH-PFS3010-8GT-65			
		Cable Tie Pack 8 Inches	1	Responsive / Qualified Cable Tie			
15	LCD	50" Crystal UHD DU8000 4K Tizen OS Smart TV (2024) OR Equivalent	1	Responsive / Qualified Make: Samsung, Model: 50" DU 8000	Non-Responsive / non-Qualified (Due to incomplete technical bid/ Bid Data Sheet/BoQ not uploaded)		
16	Installation & Commissioning	Complete installation, commissioning and testing	1	Responsive / Qualified 1 Job			
Responsive / Qualified Bidders						Non-Responsive / non-Qualified Bidders	
M/s World Wide Vision						M/s Yahya Hussain	

IT EXPERTS COMMITTEE:

The committee met on 19-08-25 to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by end user. All bid(s) were technically evaluated according to BOQs and eligibility criteria. The Committee recommends proceeding further as per the PPRA Rules 2014 (Amended).

End User
Co-Opted
Member

Mr. Faisal Amin
Director IT, UHS
Secretary

Mr. Farhan Ahmad
Joint Director, PITB
Member

Mr. M. Mudassar Khan
Manager IT, UET
Member

Mr. Imran Qureshi
Director IT, PU
Convener

19/8/25