

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender for Replacement of Glass, Procurement of Window Blinds, Electric Items, Misc. Sanitary Items, UPS Units and Parts for Konica Minolta of University of Health Sciences Lahore ". Tender No: UHS/PUR/T/26-27/372
4. Date & Time of Bid Closing: 28-09-2025 - 03:00 PM
5. Date & Time of Bid Opening: 28-09-2025 - 03:30 PM
6. No. of bids received: 07


Sr #	Items with specifications	Bidder Name						
		1	2	3	4	5	6	7
		M/S Metalogics	M/S Samad Enterprises	M/s Hassan Butt Construction Company	M/s Al-Awwal Traders	M/s Techno Grip	M/s Abdullah Electronics	M/s Generation System
1	Copy/Proof of online submitted Bid Security	✓	✓	✓	✓	✓	✓	✓
2	Copy of Valid CNIC duly attested by authorized person	✓	✓	✓	✓	✓	✓	✓
3	Copy of NTN /GST duly attested by authorized person.	✓	✓	✓	✓	✓	✓	✓
4	Copy of active sale tax registration (STRN) certificate with Sale Tax Authorities.	✓	✓	✓	✓	✓	✓	✓
5	Copy of Professional Tax duly attested by authorized person.	✓	✓	✓	✓	✓	✓	✓
6	Registered with Tax Department(s): Declaration issued by Tax Department, Registration with tax department / Tax Returns/ Tax paid / Active tax payer status in FBR record	✓	✓	✓	✓	✓	✓	✓
7	Bank Account Maintenance: Fresh Certificate issued by bank that the account is being maintained since when and the title of account is what	✓	✓	✓	✓	✓	✓	✓
8	Last 01-year bank account statement.	✓	✓	✓	✓	✓	✓	✓
9	Undertaking on Stamp Paper for non-blacklisting by the procuring agency.	✓	✓	✓	✓	✓	✓	✓
10	Copy of bid documents duly sign & stamped by the bidder.	✓	✓	✓	✓	✓	✓	✓
11	Portfolio of Firm (supporting documents should be attached)	✓	✓	✓	✓	✓	✓	✓
12	The Bidder should be in relevant business from last one year (must attached purchase order / work orders at least for one year).	✓	✓	✓	✓	✓	✓	✓
13	The Bidder shall submit three (03) purchase/work orders in public sector institution	✓	✓	✓	✓	✓	✓	✓

It is hereby confirmed that all bids were evaluated against the laid specifications and found 07 Bids qualified/responsive. Comparative statement (summary/detail) is being submitted to Technical Committee, UHS for further necessary action.

TECHNICAL COMMITTEE:

Technical committee met on 08-10-2026 to consider the Technical Evaluation Report following single stage two envelopes bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).


End User
Co-Opted (Member)


Technical Officer(SHC&ME)
Member


Dr. M. Imran
Member


Prof. Dr. Saba Khaliq
Co-Convener


Prof. Dr. Uruj Zehra
Convener

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION


COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender for Replacement of Glass, Procurement of Window Blinds, Electric Items, Misc. Sanitary Items, UPS Units and Parts for Konica Minolta of University of Health Sciences Lahore ". Tender No: UHS/PUR/T/26-27/372
4. Date & Time of Bid Closing: 28-09-2025 - 03:00 PM
5. Date & Time of Bid Opening: 28-09-2025 - 03:30 PM
6. No. of bids received: **02 (In LOT-1)**

Sr #	Required Item/Specifications	Unit	Qty / Job	Bidders Name	
				1	2
				M/S Metalogids	M/S Samad Enterprises
LOT:- 1:- Replacement of Glass Top of Meeting Table					
1	Supply, Cutting, Polishing and fixing of Tempered Glass 8mm white (table top quality) with smooth machine-finished edges, including all handling, transportation, wastage, complete in all respects as approved by the Engineer In-Charge. Size: 7.25 x 7.25 = 52.56 Sft	Sft	52.56	Qualified / Responsive	Qualified / Responsive

TECHNICAL COMMITTEE:

Technical committee met on 08-10-2026 to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).


End User
Co-Opted (Member)


Technical Officer(SHC&ME)
Member


Dr. M. Imran
Member


Prof. Dr. Saba Khaliq
Co-Convener


Prof. Dr. Uruj Zehra
Convener

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender for Replacement of Glass, Procurement of Window Blinds, Electric Items, Misc. Sanitary Items, UPS Units and Parts for Konica Minolta of University of Health Sciences Lahore ". Tender No: UHS/PUR/T/26-27/372
4. Date & Time of Bid Closing: 28-09-2025 - 03:00 PM
5. Date & Time of Bid Opening: 28-09-2025 - 03:30 PM
6. No. of bids received: 3 (In LOT-2)

Sr #	Required Item/Specifications	Unit	Qty / Job	Bidders Name			
				1	2	3	
				M/S Hassan Butt Construction Company	M/S Metalogids	M/S Samad Enterprises	
LOT:- 2:- Procurement of Window Blinds							
1	Providing Window Roller Blind made of glass fibre fabric, i/c top rail, rawal bolt, brackets etc. complete in all respect Length:5'-5" Hight: 6'	Sft	33	Qualified / Responsive	Qualified / Responsive	As per Specification	Qualified / Responsive
2	Providing Window Roller Blind made of glass fibre fabric, i/c top rail, Rawal bolt, brackets etc. complete in all respects.	Sft	499	Qualified / Responsive	Qualified / Responsive	As per Specification	Qualified / Responsive

TECHNICAL COMMITTEE:

Technical committee met on 08-10-2026 to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).

End User
Co-Opted (Member)

Technical Officer(SHC&ME)
Member

Dr. M. Imran
Member

Prof. Dr. Saba Khaliq
Co-Convener

Prof. Dr. Uruf Zehra
Convener

Controller of Examinations
University of Health Sciences.
Lahore.

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender for Replacement of Glass, Procurement of Window Blinds, Electric Items, Misc. Sanitary Items, UPS Units and Parts for Konica Minolta of University of Health Sciences Lahore ". Tender No: UHS/PUR/T/26-27/372
4. Date & Time of Bid Closing: 28-09-2025 - 03:00 PM
5. Date & Time of Bid Opening: 28-09-2025 - 03:30 PM
6. No. of bids received: **04 (In LOT-3)**

Sr #	Required Item/Specifications	Unit	Qty / Job	Bidders Name							
				1		2		3		4	
				M/S Metalogids		M/S Samad Enterprises		M/S Alwwal Traders		M/S Techno Grip	
LOT:- 3:- Procurement of Electric Items											
1	Fan dimmer Exxen or equivalent	Nos.	4	Qualified / Responsive		Exxen or Equivalent	Qualified / Responsive	Exxen	Qualified / Responsive	KM	Qualified / Responsive
2	LED Bulb 40W Osaka or equivalent	Nos.	21	Alpha	Qualified / Responsive	Osaka or Equivalent	Qualified / Responsive	Osaka	Qualified / Responsive	Osaka	Qualified / Responsive
3	Bulb Holder (Jumbo, E27), KM or equivalent	Nos.	19	Qualified / Responsive		KM or Equivalent	Qualified / Responsive	JS	Qualified / Responsive	KM	Qualified / Responsive
4	Piano Button 5 to 7 amp, KM or equivalent	Nos.	24	Qualified / Responsive		KM or Equivalent	Qualified / Responsive	JS	Qualified / Responsive	KM	Qualified / Responsive
5	Pakistan Energy Label NEECA approved wall bracket Fans with bracket 24", Royal Fan, GFC, Pak Fan or equivalent	Nos.	12	Qualified / Responsive		Royal Fan, GFC or Equivalent	Qualified / Responsive	FC	Qualified / Responsive	Royal Fan	Qualified / Responsive

TECHNICAL COMMITTEE:

Technical committee met on 08-10-2026 to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).

End User
Co-Opted (Member)

Technical Officer(SHC&ME)
Member

Dr. M. Imran
Member

Prof. Dr. Saba Khaliq
Co-Convener

Prof. Dr. Uruj Zehra
Convener

Controller of Examinations
University of Health Sciences.

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender for Replacement of Glass, Procurement of Window Blinds, Electric Items, Misc. Sanitary Items, UPS Units and Parts for Konica Minolta of University of Health Sciences Lahore ". Tender No: UHS/PUR/T/26-27/372
4. Date & Time of Bid Closing: 28-09-2025 - 03:00 PM
5. Date & Time of Bid Opening: 28-09-2025 - 03:30 PM
6. No. of bids received: **01 (In LOT-4)**

Sr #	Required Item/Specifications	Unit	Qty / Job	Bidders Name	
				1	
				M/S Samad Enterprises	

LOT:- 4:- Procurement of Misc. Sanitary & other Items

1	Drawer Lock (Brass), IHS or equivalent	Nos.	10	China Best Quality	Qualified / Responsive
2	CP Water Cooler Tap (Push Type), Master or equivalent	Nos.	4	Master or Equivalent	Qualified / Responsive
3	Plastic made low down flushing cistern 13.63 liter (3 Gallon) Golden or equivalent	Nos.	4	Golden, Dura or Equivalent	Qualified / Responsive
4	Toilet Shower with PVC Flexible Coloured Pipe (every or white), Porta or equivalent	Nos.	4	Morning or Equivalent	Qualified / Responsive
5	Hocky Pipe Plastic, Dura or equivalent	Kg.	2	S.S or Equivalent	Qualified / Responsive
6	Plastic Rubber Connection with check nut, Dura or equivalent	Nos.	8	High Press or equivalent	Qualified / Responsive
7	Commode Syfon porta or equivalent	Nos.	2	Porta or Equivalent	Qualified / Responsive
8	Tower Bolt (Chatkhani) 12", stainless steel (SS), Latif or equivalent	Nos.	4	Best Quality	Qualified / Responsive
9	Sand Papper 150 Number, China, Korea or equivalent	Nos.	4	China, Korea or equivalent	Qualified / Responsive
10	Wooden Larr Length 84" x 1.5"x3", Kail Wood AA	Nos.	1	Best Quality	Qualified / Responsive

Sr #	Required Item/Specifications	Unit	Qty / Job	Bidders Name	
				1	
				M/S Samad Enterprises	
11	Play Wood with solid wood border Name Plate Size 12" x 12" including screws	Nos.	75	As per Specification	Qualified / Responsive
12	Acrylic Name Plate (18"x8") including Spacer etc.	Nos.	2	As per Specification	Qualified / Responsive
13	Notice Board Size 6' x 4' made of soft board/cork sheet	Nos.	1	As per Specification	Qualified / Responsive

TECHNICAL COMMITTEE:

Technical committee met on 08-10-2026 to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).

End User
Co-Opted (Member)

Technical Officer(SHC&ME)
Member

Dr. M. Imran
Member

Prof. Dr. Saba Khaliq
Co-Convener

Prof. Dr. Uruj Zehra
Convener

Controller of Examinations
University of Health Sciences,
Lahore.

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender for Replacement of Glass, Procurement of Window Blinds, Electric Items, Misc. Sanitary Items, UPS Units and Parts for Konica Minolta of University of Health Sciences Lahore ". Tender No: UHS/PUR/T/26-27/372
4. Date & Time of Bid Closing: 28-09-2025 - 03:00 PM
5. Date & Time of Bid Opening: 28-09-2025 - 03:30 PM
6. No. of bids received: 04 (In LOT-5)

Sr #	Required Item/Specifications	Unit	Qty / Job	Bidders Name			
				1	2	3	4
				M/S Abdullah Electronics	M/S Generation System	M/S Samad Enterprises	M/S Techno Grip

LOT:- 5:- Procurement of New UPS Units

1	650 VA UPS, Rating: 650VA UPS with (12 volt 7Ah Dry Battery Built-in) Input Voltage: 220 VAC, Output Voltage : 220V 12 Volt Design Frequency: 50 Hz Hendan, APC, or equivalent or Higher	Nos.	14	Black Cooper UPS- 650VA BC-650V 12V 7Ah Built in Battery	Qualified / Responsive	Gensol: GS.650 Rating: 650VA UPS with (12 volt 7Ah Dry Battery Built-in) Input voltage: 220 VAC, Output Voltage : 220V 12 Volt Design Frequency: 50 Hz	Qualified / Responsive	Crown or Equivalent	Qualified / Responsive	Xpert / E-65	Qualified / Responsive
---	--	------	----	---	---------------------------	---	------------------------	---------------------	------------------------	--------------	---------------------------


TECHNICAL COMMITTEE:

Technical committee met on 08-10-2026 to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).


End User
Co-Opted (Member)
Controller of Examinations
University of Health Sciences,
Lahore.


Technical Officer(SHC&ME)
Member


Dr. M. Imran
Member


Prof. Dr. Saba Khaliq
Co-Convener


Prof. Dr. Urj Zehra
Convener

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION


COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRA Rules 2014 (amended)
3. Title of Procurement: Tender for Replacement of Glass, Procurement of Window Blinds, Electric Items, Misc. Sanitary Items, UPS Units and Parts for Konica Minolta of University of Health Sciences Lahore ". Tender No: UHS/PUR/T/26-27/372
4. Date & Time of Bid Closing: 28-09-2025 - 03:00 PM
5. Date & Time of Bid Opening: 28-09-2025 - 03:30 PM
6. No. of bids received: **0 (In LOT-6)**

Sr #	Required Item/Specifications	Unit	Qty / Job	Bidders Name
				0
LOT:- 6:- Procurement of Parts for Konica Minolta Bizhub 454e				
1	Drum Unit	No.	1	No One Participated in the LOT
2	Tray Paper Feed Rollers (Set)	Set	1	
3	RADF Roller (Set)	Set	1	


TECHNICAL COMMITTEE:

Technical committee met on 08-10-2026 to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014 (Amended).


End User
Co-Opted (Member)

Controller of Examinations
University of Health Sciences,
Lahore.


Technical Officer(SHC&ME)
Member


Dr. M. Imran
Member


Prof. Dr. Saba Khaliq
Co-Convener


Prof. Dr. Uruj Zehra
Convener