

MANDATORY ELIGIBILITY CRITERIA FOR TECHNICAL EVALUATION

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPR Rules 2014 (amended)
3. Title of Procurement: Tender for Procurement of Mirrorless Camera, CCTV Camera and Networking Equipment for University of Health Sciences Lahore - 25/4045
4. Date & Time of Bid Closing: 18-07-2025 - 03:00 PM
5. Date & Time of Bid Opening: 18-07-2025 - 03:30 PM
6. No. of bids received: 05

Sr #	Items with specifications					Bidder Name
	1	2	3	4	5	
	M/s Techno Grip	M/s Orbin	M/s Kun Traders	M/s Abdullah Electronics	M/s Generation System	
	1	2	3	4	5	
	1	2	3	4	5	
1	Upload Copy of valid CNIC of authorized person	✓	✓	✓	✓	
2	Upload Copy of NTN /GST of company	✓	✓	✓	✓	
3	Upload Copy of Professional Tax of Company	✓	✓	✓	✓	
4	Upload copy of documents Registered with Tax Department(s): Declaration issued by Tax Department, Registration with tax department / Tax Returns/ Tax paid / Active tax payer status in FBR record	✓	✓	✓	✓	
5	Upload Copy of Bank Guarantees / CDR / PO per Bid Security and submit original in finance department of UHS on or before closing date and time	✓	✓	✓	✓	
6	Upload copy of Bank Account Maintenance: Fresh Certificate issued by bank that the account is being maintained since when and the title of account is what,	✓	✓	✓	✓	
7	Last 01-year bank account statement	✓	✓	✓	✓	
8	Upload copy of Undertaking on Stamp Paper for non-blacklisting	✓	✓	✓	✓	
9	Upload copy of bid document of UHS with each page signed and stamped	✓	✓	✓	✓	

Sr	#	Items with specifications	Bidder Name				
			1	2	3	4	5
10		Upload copy of a valid authorization certificate from the primary / principle manufacturer is required. If the evidence of manufacturing is provided by the manufacturer, it should be included as well (if required)	X	✓	✓	✓	✓
			(LOT-I only)	✓	✓	✓	✓
			(LOT-II)	✓	✓	✓	✓
			(LOT-III)	✓	✓	✓	✓
11		Upload copy of Portfolio of Firm (supporting documents should be attached)	✓	✓	✓	✓	✓
			Experience of Supplying / Dealing with subject items, Bidder should be in relevant business from last one year	✓	✓	✓	✓
			Details of Businesses with Govt. Departments / other reputed firms, Total No. of tenders / transactions along with total financial value shall be mentioned. The Bidder shall be submitted minimum three (3) purchase/work orders	✓	✓	✓	✓

It is hereby confirmed that all bids were evaluated against the laid specifications and found all Bids are qualified. Comparative statement (summary/detail) is being submitted to Technical Committee, UHS for further necessary action.

TECHNICAL COMMITTEE: 25-9-25

Technical committee met on _____ to consider the Technical Evaluation Report following single stage two envelopes bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPRA Rules 2014

(Amended).

End User

Co-Opted (Member)

Technical Officer (SHC&ME)

Member

Dr. Umara Saleem

Member

Dr. Saba Khalid

Co-Convenor

Prof. Uruj Zehra

Convenor

Additional Registrar
Administration & Coordination
University of Health Sciences
Lahore

TECHNICAL EVALUATION REPORT






COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPR A Rules 2014 (amended)
3. Title of Procurement: Tender for Procurement of Mirrorless Camera, CCTV Camera and Networking Equipment for University of Health Sciences Lahore - 25/4045
4. Date & Time of Bid Closing: 18-07-2025 - 03:00 PM
5. Date & Time of Bid Opening: 18-07-2025 - 03:30 PM
6. No. of bids received: 01

Sr #	Items	Specification	Qty	LOT-1 MIRRORLESS CAMERA	
1	Mirrorless Camera	Body type SLR-style mirrorless Sensor, Max resolution 6000 x 4000, Image ratio w:h 3:2, 16:9, Effective pixels 24 megapixels, Sensor photo detectors 25 megapixels, Sensor size Full frame (35.8 x 23.8 mm), Sensor type BSI-CMOS, Processor Bionz X, Image ISO Auto, 100-51200, White balance presets 11, Custom white balance Yes, Image stabilization Sensor-shift, CIPA image stabilization rating 5 stop(s), Uncompressed format RAW, JPEG quality levels Extra fine, fine, standard, Optics & Focus Autofocus, Contrast Detect (sensor), Phase Detect, Multi-area, Center, Selective single-point, Tracking, Single, Continuous, Touch, Face Detection, Live View, Digital zoom Yes (4), Manual focus Yes, Number of focus points 693, Lens mount Sony E, Focal length multiplier 1x, Screen / viewfinder Articulated LCD Tilting, Screen size 3", Screen dots 921,600, Touch screen Yes, Live view Yes, Viewfinder type Electronic, Viewfinder coverage 100%, Viewfinder magnification 0.78x, Viewfinder resolution 2,359,296, Photography features Minimum shutter speed, 30 sec, Maximum shutter speed, 1/8000 sec, Aperture priority Yes, Shutter priority Yes, Manual exposure mode Yes, Subject / scene modes Yes, Built-in flash No, External flash Yes (via Multi Interface shoe), Continuous drive10.0 fps, Self-timer Yes (2 or 10 sec; continuous (3 or 5 exposures)), Metering modes Multi, Center-weighted, Highlight-weighted, Average, Spot, Exposure compensation ±5 (at 1/3 EV, 1/2 EV steps), AE Bracketing ±5 (3, 5 frames at 1/3 EV, 1/2 EV, 2/3 EV, 1 EV, 2 EV steps), WB Bracketing Yes, Videography features Resolutions 3840 x 2160 (30p, 24p) 1920 x 1080 (120p, 60p, 60i, 24p), 1440 x 1080 (30p), 640 x 480 (30p), Format MPEG-4, AVCHD, XAVC S, H.264, Videography notes, Supports XAVC S codec (100Mbps), S-Log2 and S-Log3, and HLG, Modes 3840 x 2160 @ 30p, H.264, 3840 x 2160 @ 24p, H.264, 3840 x 2160 @ 30p, H.264, 1920 x 1080 @ 30p, H.264, 1920 x 1080 @ 24p, H.264, 1920 x 1080 @ 60p, H.264, 1920 x 1080 @ 30p, H.264, 120p, H.264, 1920 x 1080	1		Bidder Name 1 M/s Techno Grip
				No Responsive / No Qualified (Due to non submission of mandatory documents)	
				Mirrorless Camera 24.2 MP ISO 100-51200 Sony A7 III (Body Only) 01 No Lens 24-70mm, F2.8 Sigma, DG DN II 01 No Memory Card 256 GB Sandisk 01 No External Hard Drive 2 TB N/A 01 No Flash Gun V1 Model Codex V I 01 No Batteries N/A 02 Nos	

Handwritten signatures and initials in blue ink.

Handwritten text and stamps in blue ink, including a circular stamp with the text "UNIVERSITY OF HEALTH SCIENCES LAHORE".

End User Co-Opted (Member) 	Technical Officer (SHC&ME) Member 	Dr. Umra Saleem Member 	Dr. Saba Khalil Co-Convenor 	Prof. Urji Zehra Convenor 
---	--	---	--	--

85-0725

Sr #	Items	Specification	Qty	Bidder Name	1	M/s Techno Grip
		1920 x 1080 @ 60i, H.264, 1920 x 1080 @ 60i, H.264, Microphone Stereo Speaker Mono, Storage, Storage types, SD/SDHC/SDXC, Memory Stick Duo/Pro Duo/Pro-HG Duo Connectivity USB 3.2 Gen 1 (5 Gbit/sec), HDMI Yes (micro-HDMI port with 4K still,uncompressed video output), Microphone port Yes, Wireless Built-in, Wireless notes with NFC and wireless control via PlayMemories Mobile app, Remote control Yes (wired), Physical Environmentally sealed Yes, Battery Battery Pack, Battery description, NP-FZ100 lithium-ion battery and charger, Battery Life (CIPA) 710, Weight (inc. batteries) 650 g (1.43 lb / 22.93 oz), Dimensions 127 x 96 x 74 mm (5 x 3.78 x 2.91") Other features Orientation sensor Yes, Timelapse recording No, GPS None, Camera Lens Full-frame 24-70 mm f/2.8 to f/22, Fast & Lightweight Wide-to-Tele Zoom, HLA Autofocus, 6.7" Minimum Focusing Distance, Aperture Ring with Click & Lock Switches, FLD, SLD & Aspherical Elements, Nano Porous & Super Multilayer Coatings, Dust & Splash Resistant Accessories 02 Batteries Memory Card (256 GB) External Hard Drive (02 TB) Flash Gun with extra Battery (Godox V1)		No Response / No Qualified ((Due to non submission of mandatory documents) Mirrorless Camera 24.2 MP ISO 100-51200 Sony A7 III (Body Only) 01 No Lens 24-70mm, F2.8 Sigma, DG DN II 01 No Memory Card 256 GB Sandisk 01 No External Hard Drive 2 TB N/A 01 No Flash Gun V1 Model Godox V1 01 No Batteries N/A 02 Nos		M/s Techno Grip 1 Bidder Name
						Non-Responsive / non-Qualified Bidders M/s Techno Grip

TECHNICAL EVALUATION REPORT

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPRa Rules 2014 (amended)
3. Title of Procurement: Tender for Procurement of Mirrorless Camera, CCTV Camera and Networking Equipment for University of Health Sciences Lahore - 25/4045
4. Date & Time of Bid Closing: 18-07-2025 - 03:00 PM
5. Date & Time of Bid Opening: 18-07-2025 - 03:30 PM
6. No. of bids received: 05

Sr #	Items	Specification	Qty	Bidder Name			
				M/s Techno Grip	M/s Orbin	M/s Kun Traders	M/s Abdullah Electronics
				1	2	3	4
							5
							M/s Generation System

LOT-II WI-FI AND MANAGED POE SWITCH

Sr #	Items	Specification	Qty	Bidder Name			
				M/s Techno Grip	M/s Orbin	M/s Kun Traders	M/s Abdullah Electronics
1	Wi-Fi	Wi-Fi Access Points, Ultra-Fast Wi-Fi 6 Speeds: Simultaneous 574 Mbps on 2.4 GHz and 1201 Mbps on 5 GHz totals 1775 Mbps Wi-Fi speeds. Centralized Cloud Management: Manage the whole network locally or from the cloud via web UI. Seamless Roaming, Mesh: Enables wireless connectivity between access points for extended range and flexible deployment. PoE+ Powered: Supports DC, 802.3at PoE+, and Secure Guest Network: Along with multiple authentication options (SMS/Facebook Wi-Fi/Voucher, etc.) and abundant wireless security technologies	10	Responsive /Qualified Brand name, make & model: TP Link, EAP 610 Specifications/dimensions:AX 1800 Access Point	Responsive /Qualified Brand & Model: EAP620 HD V3 Brand name with Country of Manufacturer: TP-LINKOMADA CHINA	Responsive /Qualified Brand name, make & model: TP LINK EAP610 CEILING AX1800 WIFI 6 Country of Origin: Shenzhen, China	Non Responsive /Not Qualified (Due to uploading Financial proposal in the technical bid as the tender was singal stage two envelope procedure.)
							Not Qualified/ Not Responsive (Due to not qualified in Complete LOT, i.e item no.2 POE Switch not quoted as per the specifications) TP LINK EAP610 DAHUA DH-PFS3010-8GT-96

Handwritten signatures and initials in blue ink.

TECHNICAL COMMITTEE: 25.7.25

Technical committee met on _____ to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPR A Rules 2014 (Amended).

End User: _____
 Co-Opted (Member): _____
 Technical Officer (SH&ME): _____
 Member: _____
 Dr. Umara Saleem: _____
 Dr. Saba Khalid: _____
 Co-Convenor: _____
 Prof. Urj Zehra: _____
 Convenor: _____

Responsive / Qualified Bidders	M/s Abdullah Electronics	M/s Orbin	M/s Kun Traders
Non-Responsive / non-Qualified Bidders	M/s Generation System		

Sr #	Items	Specification	Qty	Bidder Name	
2	Layer-2 Managed PoE Switch	08+02 Port Gigabit Smart Switch with 8-Port PoE+, 8× Gigabit 802.3af/at PoE+ ports and 2× Gigabit SFP slots, 61 W total PoE budget with up to 30 W PoE output per port, Centralized cloud management via the web, Standalone management via web, CLI, SNMP, and RMON, Static Routing to route internal traffic for higher efficiency, VLAN, ACL, QoS, and IGMP Snooping, Fan less design for silent operation, metal casing and desktop/wall mounting design	3	1	Responsive /Qualified Brand name, make & model: TP Link SG 2210P Specifications/ dimensions: 802.3 af/at 810/100/1000 Mbps CHINA LINKOMADA Manufacturer: TP-Link
		2		Responsive /Qualified Brand & Model: SG2210P Brand name with Country of	
		3		Responsive /Qualified Brand name, make & model: Omada TP LINK TLSG2210P 10-PORT GIGABIT SMART POE+SWITCH Country of Origin: Shenzhen, China	
		4		Non Responsive /Not Qualified (Due to uploading financial proposal in the technical bid as the tender was singal stage two envelope procedure.)	
		5		Not Qualified/ Not Responsive (Due to not qualified in Complete LOT, i.e item no.2 POE Switch not quoted as per the specifications) BAYNET PG082	
		M/s Generation System		M/s Abdullah Electronics	

TECHNICAL EVALUATION REPORT

COMPARATIVE STATEMENT :

1. Name of Procuring Agency: University of Health Sciences Lahore
2. Method of Procurement: Single Stage Two Envelope Bidding Procedure under PPR Rules 2014 (amended)
3. Title of Procurement: Tender for Procurement of Mirrorless Camera, CCTV Camera and Networking Equipment for University of Health Sciences Lahore - 25/4045
4. Date & Time of Bid Closing: 18-07-2025 - 03:00 PM
5. Date & Time of Bid Opening: 18-07-2025 - 03:30 PM
6. No. of bids received: 04

Sr #	Items	Specification	Qty	Bidder Name		
				M/s Techno Grip	M/s Orbin	M/s Kun Traders
				1	2	3
						M/s Abdullah Electronics
						4

LOT-III BULLET CAMERA, SWITCHES, CABLES AND MISC ITEMS

1	IP Bullet Camera	IP bullet Camera 2 mp and high, definition image. Outputs max. 2 MP (1920 × 1080)@30 fps. H.265 codec, high compression rate, ultra-low bit rate, Built-in multi-core light, the max. IR distance is 30 m and the max. warm light distance is 15 m. DWDR, 3D NR, HLC, BLC, digital watermarking, applicable to various monitoring scenes. ROI, SMART H.264+/H.265+, flexible coding, applicable to various, bandwidth and storage environments. Built in Mic. 12 VDC/PoE power supply, easy for installation. IP67 protection. Supports human detection	24	Brand name, model : DAHUA HDW 2249T S PRO Brand name, make & DAHUA CHINA Brand name with Country of Manufacturer: DAHUA CHINA Brand & Model: IPCHEFW2249MS-B-PRO	Responsive /Qualified Brand name, make & DAHUA CHINA Brand name with Country of Manufacturer: DAHUA CHINA Brand & Model: NVR4232-4KS3	Responsive /Qualified Brand name, make & Dahua model: Dahua NVR4232-4KS3 Country of Origin: China	Responsive /Qualified Brand name, make & Dahua NVR-4232-E12 2 HDDs Supported withouted Hard Disk
2	NVR Channel	32CH 1U 2HDDs Lite Network Video Recorder, > Supports Smart H.265+, H.265, Smart .264+, H.264 capability: 8 × 1080p@30 fps or 2 × 8 MP@30 fps. > and MJPEG decoding formats. > Max. decoding bandwidth: > Supports IP cameras with a resolution up to 12 MP. > AI by Recorder supports 2-channel SMD Plus. > AI by Camera supports face detection and recognition, perimeter protection, SMD Plus, people counting, stereo analysis and heat map. > Supports EPTZ, and one-click arming and disarming.	1	Brand name, make & model : DAHUA NVR 4232	Responsive /Qualified Brand name, make & DAHUA CHINA Brand name with Country of Manufacturer: DAHUA CHINA Brand & Model: NVR4232-4KS3	Responsive /Qualified Brand name, make & Dahua model: Dahua NVR4232-4KS3 Country of Origin: China	Responsive /Qualified Brand name, make & Dahua NVR-4232-E12 2 HDDs Supported withouted Hard Disk

Sr #	Items	Specification	Qty	Bidder Name			
				1	2	3	4
3	POE Switch	10-Port Unmanaged Desktop Switch with 8 Port PoE, * The parameters and datasheets below can only be applied to V2.0 (version 2.0), > Intelligent PoE, > BT 90W, > 8-pin assignment PoE power supply, > Long distance PoE, > PoE watchdog, > Wide working temperature	9	Responsive /Qualified Brand name, make & model : D Link DGS F 1010P	Responsive /Qualified Brand name with Country of Manufacturer: DAHUA CHINA Brand & Model: PFS3010-8GT-96	Responsive /Qualified Brand name, make & model: Dahua PFS3010-8GT-96 Country of Origin: China	Responsive /Qualified Dahua CS 4010-8GT-110
4	CAT 06 Cable	UTP CAT 06 pure copper cable 23AWG roll 305 meters	6	Responsive /Qualified Brand name, make & model : DAHUA	Responsive /Qualified Brand name with Country of Manufacturer: DAHUA CHINA Brand & Model: DAHUA	Responsive /Qualified Brand name, make & model: D-Link 23AWG UTP Country of Origin: China	Responsive /Qualified Dahua CAT-6 Cable 23AWG 920L-6U-C
5	RJ45 Connector	D-Link or Equivalent CAT 06 UTP Modules Connector with 24K 50U plated gold RJ 45 connector Box	1	Responsive /Qualified Brand name, make & model : D Link	Responsive /Qualified Brand name with Country of Manufacturer: D-LINK TAIWAN Brand & Model: D- LINK	Responsive /Qualified Brand name, make & model: D-Link RJ45 Country of Origin: China	Responsive /Qualified Dahua D-Link Pure Cooper RJ-45 Connectors
6	Insulation Tape	Insulation Tape	5	Responsive /Qualified Brand name, make & model : Osaka	Responsive /Qualified Brand name with Country of Manufacturer: PAKISTAN Brand & Model: GOOD QUALITY	Responsive /Qualified Country of Origin: China	Responsive /Qualified Osaka Tape

Responsive / Qualified Bidders	Non-Responsive / non-Qualified Bidders
M/s Techno Grip	
M/s Orbin	
M/s Kun Traders	
M/s Generation System	

TECHNICAL COMMITTEE: 25.07.25
 Technical committee met on _____ to consider the Technical Evaluation Report following single stage two envelope bidding procedure submitted by End User. All bid(s) were technically evaluated according to BOQs and eligibility criteria. Technical Committee recommends to process further as per PPA Rules 2014 (Amended).

End User
 Co-Opted (Member)
 Additional Registrar
 Administration & Coordination
 University of Health Sciences
 Lahore

Technical Officer (SHC&ME)
 Member
 Dr. Umerra Saleem

Co-Convenor
 Dr. Saba Khalid

Convenor
 Prof. Urj Zehra