

University of Health Sciences, Lahore

Khayaban-e-Jamia Punjab Lahore-54600, Pakistan Phone: 042-111333366 Ext: 321, Fax: 042-99230870

Tender/Bidding Document

Procurement of Laboratory Equipment for Biomedical & Allied Health Sciences, Jinnah campus, University of Health Sciences, Kala Shah Kaku

Important Note

In order to conduct procurement process in a fair & transparent manner and to bring value for money to the Procuring Agency i.e., University of Health Sciences, Lahore through national and open competitive bidding, Tenderer/Bidder(s) (who intend to take part in the instant Tender) are required to submit the requisite information and documents mentioned in the Tender/Bidding Document. Bids received without, undertakings, legitimate documentary evidence, relevant documents and contrary to the method of submission as per requirement mentioned in the Bidding Document or Certificates are liable to be rejected ab initio i.e. at the initial stage. The supporting data alongwith valid documentary evidence for critical components as detailed herein should be submitted in the form of Index by the Tenderer/Bidder for scrutiny.

UNIVERSITY OF HEALTH SCIENCES LAHORE Khayaban-e-Jamia Punjab, Lahore				
(1 <u>6</u> 43	TENDER NOTICE			
1.	Sealed tenders are invited from registered (Sale Tax/Income tax) companies/firms for the Procurement of Laboratory Equipment for Biomedical & Allied Health Sciences, Jinnah campus, University of Health Sciences, Kala Shah Kaku. Single stage two envelopes bidding procedure under PPRA Rule 38, 2(a) shall be followed.			
2.	The detail of items is given in the tender documents. The tender document is available from Finance Department (Room No. 09) of UHS Lahore during working hours (09:00AM to 05:00 PM) after depositing Rs. 1500 /- (Non Transferable) to CE-UHS Account # 3164498127 NBP (Sheikh Zayed Hospital Branch, Lahore), from the date of publication.			
3.	The bidding firms / companies must attach 2% (Rs.80,000/- refundable) as earnest money of the estimated amount Rs.4,000,000/- in the form of Bank Guarantee /Pay Order/ Bank Draft drawn in favor of UHS, Lahore.			
4.	The sealed bid(s) can be put into the Tender Box placed at reception desk of UHS Lahore by 11:00 AM on 25.03.2022. The tender will be opened at 11:30 AM by the Tender Committee in the presence of representatives of the participating firms / companies.			
5.	The procurements including rejection or acceptance of bids will be governed by PPRA Punjab rules.			
6.	Tender document will also be available at UHS (<u>www.uhs.edu.pk</u>) and PPRA Punjab website <u>http://ppra.punjab.gov.pk</u> from the date of publication.			
	REGISTRAR University of Health Sciences Lahore. Khayaban-e-Jamia Punjab, Lahore-54600, Pakistan. Ph: 111-33-33-66, 042-99231304-9			

Prepared by:

Contents checked & verified, and may be proceed after completing other official formalities.

B.O.Q

Procurement of Laboratory Equipment for Biomedical & Allied Health Sciences, Jinnah campus, University of Health Sciences, Kala Shah Kaku

Sr.No	Name of Item	Specifications	Qty Req	Unit Price	Total Price
1.	Centrifuge with 15 and 50ml rotors	 Capacity: 24 tubes Speed limit: 8000rpm (Max) Soft break Short spin speed limitation Lock separator button for RPM/RC conversion Swing Rotor With 15ml and 50ml falcon tube rotors/adopters Origin: USA/EU/UK/China 	01		
2.	Lab Timers	 Digital time display Origin: USA/EU/UK/China 	05		
3.	Vortex (for tubes and plates)	 Speed Range: 3200rpm Orbit: 4.9 mm Electrical: 120 volts, 1.2 amps Origin: USA/EU/UK/China 	01		
4.	Horizontal gel electrophoresis apparatus with power supply	 Gel Tray Dimensions: 15x10cm Sample capacity>140 Accessories (UV tray, combs) Minimum Sample Capacity: 140 One additional Gel Caster of 15x10cm Power supply with multiple sockets Origin: USA/EU/UK/China 	01		
5.	4°C Fridge	 Double door 300L capacity With voltage stabilizer Origin: USA/EU/UK/China 	01		
6.	Thermal cycler	 Technology: Gradient with a range of 30-100oC Gradient efficacy: ±0.50C of set temperature Gradient range at one time: ≥8 temperature ranges Temperature range:4-100 0C/sec Sample Capacity: 96-well plate, 96 x 0.2 ml tubes, 0.2 ml tube strips Maximum ramp rate: 4 0C/sec Average ramp rate: 2.5 0C/sec Display: Color Touch Screen USB Port: At-least 01 Origin: USA/EU/UK/China 	01		
7.	UV Transilluminator	 302nm midrange UV wavelength Optimal for excitation of EtBr Dual intensity settings (50% or 100%) Hinged UV safety cover Dimensions (cm): 26.5 x 32.5 x 14 Power: 100-240V, 50-60Hz Origin: USA/EU/UK/China 	01		
8.	Pipette set (P10, 20, 100, 1000)	• adjustable	02		

		fully out o local l	T	
		• fully autoclavable		
		 Sizes: 1-10 μl, 10-100 μl, 100-1000μl Origin: US Δ (EU/UW) 		
		Origin: USA/EU/UK		
		• ULPA Filter		
		• ISO Class 3 work zone		
		• DC ECM blower for up to 70% energy		
0		savings	01	
9.	Laminar Flow Hood	• Low noise at 52.4 dBA	01	
		• Stainless steel side walls		
		• Fixed Sash		
		• Internal height: 3 ft		
		Origin: USA/EU/UK/China		
		• Upright		
10.	-20°C Biomedical	• Capacity >300L	01	
10.	Freezer	• Accessories (Drawers etc)	01	
		• Origin: USA/EU/UK/China		
		Volume 32L		
		• Dual display		
		Stainless steel exterior		
		Natural convection		
4.4	Ter hat	• Working temperature range °C: at least 5	01	
11.	Incubator	(IN/INplus) 10 (IF/IFplus) above ambient	01	
		temperature up to $+80$		
		• Setting temperature range °C: +20 to +80		
		• Setting accuracy °C: 0.1		
		Origin: USA/EU/UK		
		Volume 32L		
		• Dual display		
		Stainless steel exterior		
		Natural convection		
		• Working temperature range °C: at least 5		
40	Hot air oven	(UN/UNplus) at least 10 (UF/UFplus)	01	
12.		• above ambient temperature to $+300$	01	
		• Setting temperature range °C: +20 to		
		+300		
		• Setting accuracy °C: up to 99.9: 0.1 from		
		100: 0.5		
		Origin: USA/EU/UK		
		• LED Display of the actual temperature		
		• Temperature range $[^{\circ}C] + 5 - 100 \ ^{\circ}C$		
		Capacity 15-20L		
13.	Water bath	Have Circulating pump	01	
15.		• Overheating protection should be present	01	
		Installed temperature sensor		
		Stainless steel body		
		Origin: USA/EU/UK/China		
		• Temperature Range: Ambient +5°C to		
		150°C		
14.	Heating Block	• Temperature Stability: $\pm 2^{\circ}C$	01	
14.	Ficating DIOCK	• Number of Blocks Included: 4	01	
		• Electrical Requirements: 120V, 50/60Hz		
		Origin: USA/EU/UK/China		
		Electrical Requirements: 12 VDC 50/60		
		Hz		
15.	Measuring Scale	• Display Type: LCD	01	
15.	Measuring Scale	• Connection Type: RS-232C	01	
		Material: Die-cast Aluminium, Stainless		
		intatoriai. Die east maininaii, Stainess		

16. pH meter Certifications/Compliance: UL, CSA, OIML Origin: USA/EU/UK/China Accuracy (Temperature): ±0.1°C Accuracy (mV): ±0.2 mV or ±0.05% of reading whichever is greater Accuracy (pH): ±0.002 Backlight Option: Yes, selectable Calibration: pH with calibration editing option, relative mV (RmV), ORP and temperature Calibration Points: 1 to 5 Isopotential Point: 7.000pH Origin: USA/EU/UK Plate magnetic stirrer Plate material: polyprolyene Plate shape: Round Voltage: 100-240V Speed: 150 to 2500 RPM Origin: USA/EU/UK/China Mini spin Max Speed: 6-7000xg Max Speed: 6-7000xg Max Soped: 51-53 dBA Origin: USA/EU/UK/China Rotor: Aluminium (opt bowl design for quite operation) Speed: 15000 Rpm
16. PH meter • Origin: USA/EU/UK/China • Accuracy (Temperature): ±0.1°C 16. pH meter • Accuracy (mV): ±0.2 mV or ±0.05% of reading whichever is greater • Accuracy (pH): ±0.002 16. pH meter • Backlight Option: Yes, selectable 01 • Calibration: pH with calibration editing option, relative mV (RmV), ORP and temperature Calibration Points: 1 to 5 • Isopotential Point: 7.000pH 17. Hot plate magnetic stirrer • Plate material: polyprolyene • Plate shape: Round 18. Mini spin • Max Speed: 6-7000xg 01 18. Mini spin • Rotors & Adapters: 6 x 1.5/2.0mL circular rotor with 0.2mL tube adapters (set of 6) 01 • Max Noise Level: 51–53 dBA • Origin: USA/EU/UK/China 01 • Rotor: Aluminium (opt bowl design for quite operation) • Rotor: Aluminium (opt bowl design for quite operation)
16. pH meter • Accuracy (Temperature): ±0.1°C • Accuracy (mV): ±0.2 mV or ±0.05% of reading whichever is greater 16. pH meter • Accuracy (mV): ±0.2 mV or ±0.05% of reading whichever is greater • Accuracy (pH): ±0.002 16. pH meter • Accuracy (pH): ±0.002 • Backlight Option: Yes, selectable 01 16. pH meter • Calibration: pH with calibration editing option, relative mV (RmV), ORP and temperature Calibration Points: 1 to 5 01 17. Hot plate magnetic stirrer • Plate material: polyprolyene • Plate shape: Round 01 17. Hot plate magnetic stirrer • Plate shape: Round 01 01 18. Mini spin • Max Speed: 6-7000xg 01 • Speed: 150 to 2500 RPM 18. Mini spin • Max Speed: 6-7000xg 01 • Max capacity: 6 x 2mL • Max Noise Level: 51–53 dBA • Origin: USA/EU/UK/China 01 01 • Rotor Capacity: 24x1.5/2 ml tubes with lid • Rotor Capacity: 24x1.5/2 ml tubes with lid • Rotor: Aluminium (opt bowl design for quite operation)
16. pH meter Accuracy (mV): ±0.2 mV or ±0.05% of reading whichever is greater Accuracy (pH): ±0.002 Backlight Option: Pts, selectable Calibration: pH with calibration editing option, relative mV (RmV), ORP and temperature Calibration Points: 1 to 5 Isopotential Point: 7.000pH Origin: USA/EU/UK Plate magnetic stirrer Plate shape: Round Origin: USA/EU/UK/China Origin: USA/EU/UK/China Mini spin Max Speed: 6-7000xg Max capacity: 6 x 2mL Rotors & Adapters: 6 x 1.5/2.0mL circular rotor with 0.2mL tube adapters (set of 6) Max Noise Level: 51–53 dBA Origin: USA/EU/UK/China Rotor Capacity: 24x1.5/2 ml tubes with lid Rotor: Aluminium (opt bowl design for quite operation)
16. pH meter reading whichever is greater 01 16. pH meter Accuracy (pH): ±0.002 01 20. Backlight Option: Yes, selectable 01 20. Calibration: pH with calibration editing option, relative mV (RmV), ORP and temperature Calibration Points: 1 to 5 01 20. Plate magnetic stirrer Plate shape: Round 01 21. Hot plate magnetic stirrer Plate shape: Round 01 21. Nini spin Max Speed: 6-7000xg 01 21. Max Speed: 6-7000xg Max capacity: 6 x 2mL 01 21. Rotors & Adapters: 6 x 1.5/2.0mL 01 01 21. Rotors & Adapters: 6 x 1.5/2.0mL 01 01 22. Rotor Capacity: 24x1.5/2 ml tubes adapters (set of 6) 01 01 22. Rotor Capacity: 24x1.5/2 ml tubes with lid 01 01
16.pH meter• Accuracy (pH): ±0.002 • Backlight Option: Yes, selectable • Calibration: pH with calibration editing option, relative mV (RmV), ORP and temperature Calibration Points: 1 to 5 • Isopotential Point: 7.000pH • Origin: USA/EU/UK0117.Hot plate magnetic stirrer• Plate material: polyprolyene • Plate shape: Round • Voltage: 100-240V • Origin: USA/EU/UK/China0118.Mini spin• Max Speed: 6-7000xg • Max capacity: 6 x 2mL • Rotors & Adapters: 6 x 1.5/2.0mL circular rotor with 0.2mL tube adapters (set of 6) • Max Noise Level: 51-53 dBA • Origin: USA/EU/UK/China01
16. pH meter • Backlight Option: Yes, selectable 01 16. Calibration: pH with calibration editing option, relative mV (RmV), ORP and temperature Calibration Points: 1 to 5 01 17. Isopotential Point: 7.000pH • Origin: USA/EU/UK 17. Hot plate magnetic stirrer • Plate material: polyprolyene • Plate shape: Round 17. Hot plate magnetic stirrer • Max Speed: 150 to 2500 RPM 01 18. Mini spin • Max Speed: 6-7000xg 01 18. Mini spin • Rotors & Adapters: 6 x 1.5/2.0mL 01 • Max Noise Level: 51–53 dBA • Origin: USA/EU/UK/China 01 • Rotor Capacity: 24x1.5/2 ml tubes with lid • Rotor: Aluminium (opt bowl design for quite operation) 01
 Calibration: pH with calibration editing option, relative mV (mV), ORP and temperature Calibration Points: 1 to 5 Isopotential Point: 7.000pH Origin: USA/EU/UK Plate material: polyprolyene Plate shape: Round Voltage: 100-240V Speed: 150 to 2500 RPM Origin: USA/EU/UK/China Max Speed: 6-7000xg Max capacity: 6 x 2mL Rotors & Adapters: 6 x 1.5/2.0mL circular rotor with 0.2mL tube adapters Max Noise Level: 51–53 dBA Origin: USA/EU/UK/China Rotor Capacity: 24x1.5/2 ml tubes with lid Rotor: Aluminium (opt bowl design for quite operation)
Image: temperature Calibration Points: 1 to 5Image: temperature Calibration Points: 1
17.Hot plate magnetic stirrer• Isopotential Point: 7.000pH • Origin: USA/EU/UK• Origin: USA/EU/UK17.Hot plate magnetic stirrer• Plate material: polyprolyene • Plate shape: Round • Voltage: 100-240V0101• Voltage: 100-240V • Speed: 150 to 2500 RPM • Origin: USA/EU/UK/China0118.Mini spin• Max Speed: 6-7000xg • Max capacity: 6 x 2mL • Rotors & Adapters: 6 x 1.5/2.0mL circular rotor with 0.2mL tube adapters (set of 6) • Max Noise Level: 51–53 dBA • Origin: USA/EU/UK/China0118.Rotor Capacity: 24x1.5/2 ml tubes with lid • Rotor: Aluminium (opt bowl design for quite operation)•
17.Hot plate magnetic stirrer• Origin: USA/EU/UK• Plate material: polyprolyene • Plate shape: Round • Voltage: 100-240V0117.Hot plate magnetic stirrer• Plate material: polyprolyene • Plate shape: Round • Voltage: 100-240V0118.Mini spin• Max Speed: 6-7000xg • Max capacity: 6 x 2mL • Rotors & Adapters: 6 x 1.5/2.0mL circular rotor with 0.2mL tube adapters (set of 6)0118.Mini spin• Rotor Capacity: 21-53 dBA • Origin: USA/EU/UK/China0118.• Rotor Capacity: 24x1.5/2 ml tubes with lid • Rotor: Aluminium (opt bowl design for quite operation)• Rotor Capacity for quite operation)
17.Hot plate magnetic stirrer• Plate material: polyprolyene • Plate shape: Round • Voltage: 100-240V0117.Hot plate magnetic stirrer• Plate shape: Round • Voltage: 100-240V01• Speed: 150 to 2500 RPM • Origin: USA/EU/UK/China0118.Mini spin• Max Speed: 6-7000xg • Max capacity: 6 x 2mL • Rotors & Adapters: 6 x 1.5/2.0mL circular rotor with 0.2mL tube adapters (set of 6)0118.Mini spin• Rotor Capacity: 24x1.5/2 ml tubes with lid • Rotor: Aluminium (opt bowl design for quite operation)01
17.Hot plate magnetic stirrerPlate shape: Round Voltage: 100-240V0117.Hot plate magnetic stirrer• Plate shape: Round Voltage: 100-240V010Speed: 150 to 2500 RPM Origin: USA/EU/UK/China0118.Mini spin• Max Speed: 6-7000xg • Max capacity: 6 x 2mL • Rotors & Adapters: 6 x 1.5/2.0mL circular rotor with 0.2mL tube adapters (set of 6)0118.Mini spin• Rotors & Adapters: 6 x 1.5/2.0mL circular rotor with 0.2mL tube adapters (set of 6)01• Max Noise Level: 51-53 dBA • Origin: USA/EU/UK/China• Rotor Capacity: 24x1.5/2 ml tubes with lid• Rotor: Aluminium (opt bowl design for quite operation)
17.Hot plate magnetic stirrer• Voltage: 100-240V0118.Mini spin• Max Speed: 6-7000xg • Max capacity: 6 x 2mL • Rotors & Adapters: 6 x 1.5/2.0mL circular rotor with 0.2mL tube adapters (set of 6)0118.Mini spin• Rotors & Adapters: 6 x 1.5/2.0mL circular rotor with 0.2mL tube adapters (set of 6)01• Max Noise Level: 51-53 dBA • Origin: USA/EU/UK/China• Rotor Capacity: 24x1.5/2 ml tubes with lid • Rotor: Aluminium (opt bowl design for quite operation)• Image: Comparison of the second
sturrer • Speed: 150 to 2500 RPM • Origin: USA/EU/UK/China • Max Speed: 6-7000xg • Max Speed: 6-7000xg • Max capacity: 6 x 2mL • Rotors & Adapters: 6 x 1.5/2.0mL • Rotors & Adapters: 6 x 1.5/2.0mL (set of 6) • Max Noise Level: 51–53 dBA • Origin: USA/EU/UK/China • Rotor Capacity: 24x1.5/2 ml tubes with lid • Rotor: Aluminium (opt bowl design for quite operation) • Rotor: Aluminium (opt bowl design for quite operation)
• Origin: USA/EU/UK/China • Max Speed: 6-7000xg • Max capacity: 6 x 2mL • Rotors & Adapters: 6 x 1.5/2.0mL circular rotor with 0.2mL tube adapters (set of 6) • Max Noise Level: 51–53 dBA • Origin: USA/EU/UK/China • Rotor Capacity: 24x1.5/2 ml tubes with lid • Rotor: Aluminium (opt bowl design for quite operation)
18. Mini spin 18. Mini spin • Max capacity: 6 x 2mL • Rotors & Adapters: 6 x 1.5/2.0mL • Rotors & Adapters: 6 x 1.5/2.0mL • Rotors & Max capacity: 5 x 2mL • Rotors & Adapters: 6 x 1.5/2.0mL • Rotors & Level: 51–53 dBA • Origin: USA/EU/UK/China • Rotor Capacity: 24x1.5/2 ml tubes with lid • Rotor: Aluminium (opt bowl design for quite operation)
 Mini spin Max capacity: 6 x 2mL Rotors & Adapters: 6 x 1.5/2.0mL circular rotor with 0.2mL tube adapters (set of 6) Max Noise Level: 51–53 dBA Origin: USA/EU/UK/China Rotor Capacity: 24x1.5/2 ml tubes with lid Rotor: Aluminium (opt bowl design for quite operation)
18. Mini spin • Rotors & Adapters: 6 x 1.5/2.0mL circular rotor with 0.2mL tube adapters (set of 6) 01 • Max Noise Level: 51–53 dBA • Origin: USA/EU/UK/China 01 • Rotor Capacity: 24x1.5/2 ml tubes with lid • Rotor: Aluminium (opt bowl design for quite operation) • Rotor: Aluminium (opt bowl design for quite operation)
image: set of 6) (set of 6) image: matrix set of 6) Max Noise Level: 51–53 dBA image: set of 6) Origin: USA/EU/UK/China image: set of 6) Rotor Capacity: 24x1.5/2 ml tubes with lid image: set of 6) Rotor Capacity: 24x1.5/2 ml tubes with lid image: set of 6) Rotor: Aluminium (opt bowl design for quite operation)
Max Noise Level: 51–53 dBA Origin: USA/EU/UK/China Rotor Capacity: 24x1.5/2 ml tubes with lid Rotor: Aluminium (opt bowl design for quite operation)
• Origin: USA/EU/UK/China • Rotor Capacity: 24x1.5/2 ml tubes with lid • Rotor: Aluminium (opt bowl design for quite operation)
 Rotor Capacity: 24x1.5/2 ml tubes with lid Rotor: Aluminium (opt bowl design for quite operation)
 lid Rotor: Aluminium (opt bowl design for quite operation)
Rotor: Aluminium (opt bowl design for quite operation)
quite operation)
• Noise Level: <47Db(A) or better
Built-in condensation drain: to eliminate
water accumulation in the rotor chamber
Microcentrifuge (1.5-2 • Soft Key: option to accelerate and
19. In capacity 24 wells) decelerate gently for sensitive samples 01
using a separate "soft" key
• Set Rpm Function: Able to start timer countdown only when selectable speed is
achieved by using a ,,at set rpm" function
 Auto power shut after 8 hours of non-use.
• Safety: Must follow safety standards set
by IEC 1010-2-020
Certified aerosol-tight rotor.
Origin: USA/EU/UK
Low Level Photometer Provides Basic
Solution Would paths: 240, 405, 500, 546
• Wavelengths: 340, 405, 500, 546, 620nm, 3 more filters optional
 Wavelengths range is 330-800nm.
Absorbance Range: -0.500 ~ 3.500Abs
 Resolution 0.001 Abs (displayed),
20 Semi-automatic 0.0001Abs (calculated) 01
Chemistry Analyzer • Temperature Control
25°C,30°C,37°C,±0.1°C and ambient
temperature
Output Internal and external printer (optional)
(optional)Reagent open system supports flow cell
and cuvette mode, close system on

		Analytical modes include kinetic, fixed		
		time, bichromatic end point with or		
		without reagent blank or sample blank,		
		linear or non-linear calibration curves		
		• Excellent QC function, 2 controls per test		
		• Internal thermal-sensitive printer		
		• Origin: USA/EU/UK		
		Operating Panel: Membrane keypad		
		• Display: 2x16 LCD		
		• Self-Diagnosis: Check Lamp, Battery,		
		filter wheel, plate transport		
		• Warm-up time: 3 min		
		• Reading speed: 25 sec single wavelength		
		• Photometric methods: single and dual		
21.	Micro-plate reader	Photodetectors: 8 silicon photodiotes	01	
	_	• Light source: Tungsten halogen 20 watts,		
		5000hrs life		
		• Spectral range: 400 nm to 700nm		
		• Filter Capacity: 4 filters		
		• filters: 405nm, 415nm, 450nm, 490 nm		
		550nm upto 655nm.		
		Origin: USA/EU/UK/Australia		
		• Accuracy: < 5% @ 300μL		
		• Plate Type: 96-Well Plates		
		• Wash Heads: 1x8		
00		• Wash Volume: 50 to 1000µL	0.1	
22.	Micro-plate Elisa washer	• Residual Volume: <2μL	01	
		• Dispense Volume: 50 to 400µL		
		• Precision: < 3% (CV) @ 300μL (96-well		
		plate)		
		Origin: USA/EU/UK/China		
		Digital display of Speed and Time Speed range: 150 - 1200 mm		
		 Speed range: 150 – 1200 rpm Precise speed control: 		
23.	Micro-plate shaker	 ±1% of set speed up to 299rpm ±2% 300 to 1200rpm 	01	
		 Orbit Diameter: 2.5mm 		
		 Timer mode: up to 99h 59min 		
		 Origin: USA/EU/UK/China 		
		 Dual-sided chestpiece 		
		 Soft-sealing eartips 		
24.	Stethoscope	Adjustable Headset	02	
		 Angled eartubes 		
		Buret:		
		• Markings: Durable and permanent, easy		
		to read		
		Capacity: 50mL		
		• Divisions: 0.10mL		
25.	Glass Biurets with stands	• O.D./Height: 15/710mm	05	
		Stopcock Bore: 2mm		
		Stand:		
		• Tempered Glass Base 60cm with Metal		
		Burette Clips.		
		• Iron rod 60cm, with dia.10mm.		
		• Output Voltage: 0 to 25 V		
~~~		• Sockets: 2 x 4 mm sockets	<u>.</u>	
26.	Kymograph	• Impedance: $< 25 \Omega$ at max. output	01	
		current of 250 mA Pulse Width 6 preset		
		widths of 0.05, 0.1, 0.5, 1 2 and 5 ms		

		• Frequency: 0.1 to 100 Hz		
27.	Tissue organ bath for kymograph	<ul> <li>Leak Proof</li> <li>Digital Temperature Control</li> <li>Temperature range 5-60</li> <li>Temperature accuracy ± 0.2</li> <li>Copler Set: 01</li> <li>Aeration tube: 01</li> </ul>	01	
28.	Spirit lamps	<ul> <li>Glass alcohol burner for lab and craft.</li> <li>Height: 4.5". Volume: 200 ml (6.7 oz).</li> <li>Diameter: 4". Include 1 wick.</li> </ul>	05	
29.	Tripod stands with gauze	<ul> <li>Made: Stainless Steel</li> <li>Height: 200mm</li> <li>Wire Gauze: Ceramic centre for even distribution of heat</li> <li>Iron wire mesh that can withstand high heat</li> <li>Size: 125mm x 125mm</li> </ul>	05	
30.	Frog board	<ul> <li>Standard cork</li> <li>Autoclavable polypropylene and disposable cardboard</li> </ul>	01	
31.	Histological slides of tissues	<ul> <li>Original histologically fixed materials</li> <li>Microtome sections averages 6–8 μm</li> <li>Haematoxylin-Eosin stained</li> </ul>	02 sets	
32.	Hemocytometer	<ul> <li>Scale mark thickness: 3 - 4μm</li> <li>Scale mark depth: 0.100mm±2μm</li> <li>Plate thickness: Approx 4.3mm</li> <li>Material: White glass</li> <li>Refractive index: Nd=1.523</li> </ul>	05	
33.	Blood pressure apparatus	<ul><li>Analog display</li><li>Accuracy: 0.02 (pressure)</li></ul>	02	
34.	Perimeter	<ul><li>Stainless steel</li><li>Rod</li></ul>	01	
35.	Measuring Tape	<ul> <li>Nickel plated winding handle</li> <li>metric and inch blade</li> <li>30M, 100FT, 12.5mm</li> </ul>	01	
36.	Quadrat	<ul><li>Size 1 meter</li><li>Size units engraved and permanent</li></ul>	01	

Note: All bidders are requested to quote rates inclusive of all kind of taxes and on FOR basis. Procurement will be considered Items wise. Quantities may be increased or decreased due to emerging need.

# **TENDER/BIDDING DOCUMENT**

# Procurement of Laboratory Equipment for Biomedical & Allied Health Sciences, Jinnah campus, University of Health Sciences, Kala Shah Kaku

# **INVITATION TO BID**

# 1. Tender for Bid

University of Health Sciences, Lahore (hereinafter referred to as the "Purchaser") advertises the Tender and invites bids (hereinafter referred to as "the Tender") from interested registered person, firm, supplier/distributor/dealer, company or an organization in particular patent manufacturer on national competitive basis for 'Procurement of Chemicals/Consumable/Kits for Bulk Store, University of Health Sciences, Lahore.

# 2. Applicability of Public Procurement Rules

Public Procurement Rules 2014, which may be downloaded from website of Public Procurement Regulatory Authority, will be strictly followed (<u>http://ppra.punjab.gov.pk</u>). In this document, unless otherwise mentioned to the contrary, "Rule" means a Rule made under Public Procurement Regulatory Authority act 2009 with reference to Public Procurement Rules 2014.

# 3. Methods of Advertisement (s)

- I. In compliance to Rule 12 (1&2) of Public Procurement Rules 2014, this Tender is being advertised at Authority's website <u>http://ppra.punjab.gov.pk</u> as well as in the print media nationwide.
- II. This Tender is also placed online at the website of the University of Health Sciences, Lahore /Purchaser. The Bidding Document containing comprehensive details can be obtained from Finance Department of University of Health Sciences, Lahore during the working hours on payment of Rs. 1500/- (non-refundable)

# 4. Type of Open Competitive Bidding

As per Rule 38,2 (a), Single Stage - two Envelopes Bidding Procedure shall be followed. The said procedure is comprehended as follows:

(i) the bid shall be a single stage comprising two envelope

(ii) The envelopes are opened in public at the date and time advised in the Bidding Document. The Contract is awarded to the Bidder whose Bid has been determined to be the lowest evaluated substantially responsive Bid

(iii) the bid found to be the lowest evaluated bid shall be accepted and Bidder(s) shall be awarded the Contract.

# **INSTRUCTIONS TO BIDDER(S)**

- The bids complete in all respect as prescribed and required under this Tender Document, must be delivered into Tender Box, placed at **Reception of UHS**, Lahore not later than 11:00 am on last date of submission of bids i.e. 25.03.2022.
- II. Bids submitted late shall not be considered/entertained.
- III. Bid Security (Earnest Money) @ 2% according to the category wise in favour of "Treasure, of University of Health Sciences, Lahore." must be attached with bid, as part of Financial bid and as per provisions contained in Clause "Bid Security" of the Terms and Conditions of the Tender in this bidding document mentioned hereinafter.

- IV. The bids shall be publicly opened in the Video Conference Room, at 11:30 am on 25.03.2022.
- V. Alternative bids shall not be considered. Bidder(s) must read the provisions/instructions of this Tender Document contained in Clause regarding invoke
  - i. "Determination of Responsiveness of Bid" and "Rejection/Acceptance of the Tender" for making bids substantially responsive to the requirements of Bidding Document.
- VI. It is sole responsibility of the Bidder(s) that he has read and understood all provisions, instructions, terms & conditions contained in this Tender Document before submitting the Bid. Neither any claim whatsoever including those of financial adjustments in case the contract is awarded under this Bid Process, will be entertained by the Purchaser nor any time schedule, nor financial adjustments arising thereof shall be permitted on account of failure by the Bidder(s).
- VII. Instructions, Terms & Conditions and Specifications are devised for strict compliance and enforcement. No escalation of cost, except arising from increase in quantity by the Bidder(s) on the demand after approval of the Purchaser, will be permitted throughout the period of the contract.
- VIII. The successful Bidder(s) will be responsible for all the deliveries and deliverables to the Purchaser within stipulated time at University of Health Sciences, Lahore or otherwise locations described as per provision regarding delivery time or execution schedule of the Tender Document;
  - IX. Bidder(s) shall communicate all queries via Purchase cell.
  - X. Bidder(s) are required to state clearly, in their proposals, the name, title, contact number (landline, mobile), fax number and e-mail address of the Bidder(s)'s authorized representative through whom all communications shall be directed until the process has been completed or terminated.
  - XI. The Purchaser will not bear any cost or expense incurred by Bidder(s) in connection with preparation or submission of bids.

# 5. Determination of Responsiveness qualification of the Bid (Tender)

The Purchaser shall, prior to the Tender evaluation, determine the substantial responsiveness of the Bid to the Tender Documents. A substantially responsive Tender is one which:

- i. meets the eligibility criteria given in Tender Documents for provision of Items;
- ii. meets the Technical Specifications for the Items against each Item/service of BOQ.

A material deviation or reservation is one which affects the scope, quality or performance of the Goods or limits the Purchaser's rights or the Bidder(s)'s obligations under the Contract.

The Tender determined as not substantially responsive shall not subsequently be made responsive by the Bidder(s) by correction or withdrawal of the material deviation or reservation.

# 6. <u>Rejection/Acceptance of the Bid</u>

The Purchaser may reject all bids or proposals at any time prior to the acceptance of a bid or proposal. The Purchaser shall upon request communicate to any Bidder(s), the grounds for its rejection of all bids or proposals, but shall not be required to justify those grounds. The Purchaser shall incur no liability, solely, by virtue of invoking discretion provided under sub-rule (1) of Rule-35 of Public Procurement Rules, 2014 towards the Bidder(s). However, prospective Bidder(s) shall be informed in due course about the rejection of the bids if any (As per Rule 35 of Public Procurement Rules, 2014).

# The Tender shall be rejected if it is:

- i. substantially non-responsive in manner prescribed in the Tender Document; or
- ii. submitted in other than prescribed forms & documents and specified manner; or
- iii. incomplete, partial, conditional, alternative, late; or
- iv. bid not submitted and relevant bid security is not submitted;
- v. subjected to interlineations/cuttings/corrections/erasures/ overwritings; or
- vi. the Bidder(s) refuses to accept the corrected Total Tender Price; or
- vii. the Bidder(s) has conflict of interest with the Purchaser; or
- viii. the Bidder(s) tries to influence the Tender evaluation/Contract award; or
  - ix. the Bidder(s) engages in corrupt or fraudulent practices in competing for award of the Contract;
  - x. the Bidder(s) fails to meet the evaluation criteria requirements;
- xi. the Bidder(s) has been blacklisted by any public or private sector organization;
- xii. the Bidder(s) has been served any legal notices or displeasure letters by any public sector organization on serious failures to provide satisfactory Goods;
- xiii. the Bidder(s) has mentioned any financial implication(s) in the financial proposal that is in contradiction to this document and Government rules and regulations.
- xiv. the Bidder(s) submits financial conditions as part of its bid which are not in conformity with Tender Document.
- xv. non-submission of verifiable proofs against the mandatory as well as general documentary, qualification and eligibility related requirements.
- xvi. Bidder is not authorized Dealer/Supplier/Distributor of manufacture Company.

# 7. Headings and Titles

In this document, headings and titles shall not be construed to be part thereof or be taken into consideration in the interpretation of the document and words importing the singular only shall also include the plural and vice versa where the context so requires.

# 8. <u>Notice</u>

Wherever provision is made for exchanging notice, certificate, order, consent, approval or instructions between the Bidder/Contractor and the Purchaser, the same shall be:

- i. in writing;
- ii. issued within reasonable time;
- iii. served by sending the same by special messenger, courier or registered post to their principal office in Pakistan or such other address as they shall notify for the purpose;

The words "notify", "certify", "order", "consent", "approve", "instruct", shall be construed accordingly.

# 9. Tender Cost

The Bidder(s) shall bear costs/expenses with regard to preparation and submission of the Tender(s) and the Purchaser shall not responsible/liable for those costs/ expenses.

# 10. Amendment of the Tender Document

The Purchaser may, at any time prior to the deadline for submission of the Tender, at its own initiative vested with exclusive discretion or in response to a clarification requested by the Bidder(s), amend the Tender Document, on account of any reason, either to extend the deadline for the submission of Bid or otherwise which shall be notified to all prospective Bidder(s) whereafter all such amendment(s) shall be considered part of the Tender Document and binding on the Bidder(s) as per Public Procurement Rules, 2014 Rule 25(4).

# 11. Preparation/Submission of Tender

The Bidder(s) is required to bid for all items according to Form of Bid;

- a. Tender as well as documents related to Tender, exchanged between the Bidder(s) and the Purchaser, shall be in English or Urdu or in both. Any printed literature furnished by the Bidder(s) in another language shall be accompanied by an English as well as Urdu translation which shall govern for purpose of interpretation of Tender;
- b. Tender shall be submitted in prescribed manner elaborated herein and all documents shall be typed, completely filled in, stamped and signed by Bidder(s) or his Authorized Representative. Only signed and stamped documents shall be submitted. In case volume of the bid contains various set(s) of documents, the same must be properly numbered and tagged in binding shape with proper index or table of contents;

# 12. <u>Tender Price</u>

The quoted price shall be:

- a. best/final/fixed and valid until completion of all obligations under the Contract i.e. not subject to variation/escalation;
- i. in Pak Rupees;
- ii. inclusive of all taxes, duties, levies, insurance, freight, etc.;

- iii. including all charges up to the delivery point at Jinnah Campus University of Health Sciences, KSK;
- b. if not specifically mentioned in the Tender(s), it shall be presumed that the quoted price is as per the above requirements;
- c. where no prices are entered against any item(s), the price of that item shall be deemed free of charge, and no separate payment shall be made for that item(s);
- d. in case of locally produced item, the price shall include all customs duties and sales and other taxes already paid or payable on the components and raw materials used in the manufacturing or assembling of the item.

# 13. Bid Security (Earnest Money)

- a. The Bidder(s) shall furnish the Bid Security (Earnest Money) as under:
  - for a sum equivalent to 2% of the estimated Price of Items as per Forms of Bid given in this Tender Document in the form of Demand Draft/Pay Order/Call Deposit Receipt, in the name of the Treasurer, University of Health Sciences, Lahore;
- ii. denominated in Pak Rupees;
- iii. have a minimum validity period of one hundred and twenty (120) days from the last date for submission of the Tender whichever is later;
- b. The Bid Security (Earnest Money) shall be forfeited by the Purchaser, on the occurrence of any or all of the following conditions:
- i. if the Bidder(s) withdraws the Tender during the period of the Tender validity specified by the Bidder(s) on the Tender Form; or
- ii. if the Bidder(s) does not accept the corrections of his Total Tender Price;
- iii. if the Bidder(s), having been notified of the acceptance of the Tender by the Purchaser during the period of the Tender validity, in accordance with the Tender Document.

# 14. Tender Validity

The Tender shall have a minimum validity period of one hundred and twenty (120) days from the last date for submission of the Tender. The Purchaser may solicit the Bidder(s)'s consent to an extension of the validity period of the Tender. The request and the response thereto shall be made in writing. If the Bidder(s) agrees extension of validity period of the Tender, the validity period of the Bid Security (Earnest Money) shall also be suitably extended. The Bidder(s) may refuse extension of validity period of the Tender, without forfeiting the Bid security (Earnest Money).

# 15. Modification/Withdrawal of the Tender

- a. The Bidder(s) may, by written notice served on the Purchaser, modify or withdraw the Tender after submission of the Tender, prior to the deadline for submission of the Tender.
- b. The Tender, withdrawn after the deadline for submission of the Tender and prior to the expiry of the period of the Tender validity, shall result in forfeiture of the Bid Security (Earnest Money).

# 16. Opening of the Tender

- a. Tenders shall be opened at <u>11:30 am</u> on the last date of submission of bids i.e **25.03.2022**in the presence of the Bidder(s) for which they shall ensure their presence without further invitation, as per provision of Rule-30 of PPRA Rules, 2014.
- b. The Bidder(s)'s name, modifications, withdrawal, security, attendance of the Bidder(s) and such other details as the Purchaser may, at its exclusive discretion, consider appropriate, shall be announced and/or recorded.
- c. No Bidder(s) or its representative will be allowed to keep any digital device (camera, audio recorder, cell phone etc.) during Tender opening meeting at given time and location.

# 17. Clarification of the Tender

The Purchaser shall have the right, at his exclusive discretion, to require, in writing, further information or clarification of the Tender, from any or all the Bidder(s). No change in the price or substance of the Tender shall be sought, offered or permitted except as required to confirm the corrections of arithmetical errors discovered in the Tender. Acceptance of any such correction is sole discretion of the Purchaser.

# 18. Correction of Errors/Amendment of Tender

- a. The Tender shall be checked for any arithmetic errors which shall be rectified, as follows:
- i. if there is a discrepancy between the amount in figures and the amount in words for the Total Tender Price entered in the Tender Form, the amount which tallies with the Total Tender Price entered in the Price Schedule, shall govern;
- ii. if there is a discrepancy between the unit rate and the total price entered in the price Schedule, resulting from incorrect multiplication of the unit rate by the quantity, the unit rate as quoted shall govern and the total price shall be corrected, unless there is an obvious and gross misplacement of the decimal point in the unit rate, in which case the total price as quoted shall govern and the unit rate shall be corrected;
- iii. if there is a discrepancy in the actual sum of the itemized total prices and the total Tender price quoted in the Price Schedule, the actual sum of the itemized total prices shall govern;
- b. The Tender price as determined after arithmetic corrections shall be termed as the Corrected Total Tender Price which shall be binding upon the Bidder(s).
- c. Adjustment shall be based on corrected Tender Prices. The price determined after making such adjustments shall be termed as Evaluated Total Tender Price.
- d. No credit shall be given for offering delivery period earlier than the specified period.

Eligibility	Description	Qualification
-------------	-------------	---------------

	Certificate of Company/Firm Registration/Incorporation under the laws of Pakistan	Mandatory
	Valid Income Tax Registration and active return filer	Mandatory
	Valid general sales tax registration(status=Active with FBR) and active return filer	Mandatory
Legal <b>(Mandatory</b> )	Submission of required undertaking on legal valid and attested stamp paper or company letterhead that the firm is not blacklisted by any of Government Department, Agency, Organization or Autonomous Body or Private Sector Organization anywhere in Pakistanetc	Mandatory
	Compliance to the technical specifications of items/goods (all items) to be procured mentioned in this document(Undertaking)	Mandatory
	In full compliance of the Execution Schedule and Delivery period mentioned in Tender Document(Undertaking of same on legal Stamp paper)	Mandatory

# 19. Acceptance Letter/Purchase Order

The Purchaser shall issue the Acceptance Letter/Purchase Order to the successful Bidder(s), within reasonable time of announcement of bid evaluation report (Rule-55 of PPRA Rules, 2014) and prior to the expiry of the original bid validity period or extended bid validity period of the Tender, which shall constitute a contract, until execution of the formal Contract.

### 20. Terms & Conditions of Contract Form

Terms & condition laid down in contract document/form are part & parcel of the Bid documents and shall be applied to the successful bidder under the Tender.

### 21. Redressal of Grievances by the Procuring Agency

- a. The Purchaser may constitute a Committee comprising of odd number of persons, with proper powers and authorizations, to address the complaints of Bidder(s) that may occur prior to enforcement of the Procurement Contract.
- b. Any Bidder(s) feeling aggrieved by any act of the Purchaser after the submission of bid may lodge a written complaint concerning grievances not later than ten days after the announcement of the bid evaluation report.
- c. The Committee may investigate and decide upon the complaint within fifteen days of the receipt of the complaint.
- d. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.

# 22. Instruction For Preparation Of Power Of Attorney/Letter of Authority

a) To be executed by an authorized representative of the Bidder(s) on company letterhead enclosing attested Copy of National Identity Card.

b) The mode of execution of the Power of Attorney/Letter of Authority should be in accordance with the procedure, if any, laid down by the applicable law and the charter documents of the executants and when it is so required the same should be under common seal affixed in accordance with the required procedure.

c) Also, wherever required, the Bidder(s) should submit for verification the extract of the charter documents such as a resolution/ power of attorney in favor of the person executing the Power of Attorney/Letter of Authority for the delegation of power hereunder on behalf of the Bidder(s).

d) In case the Tender Documents are signed by an authorized Director/Partner or Proprietor of the Applicant, a certified copy of the appropriate resolution/document conveying such authority may be enclosed in lieu of the Power of Attorney/Letter of Authority.

# 23. (3) FORM OF BID;

# Forms, Specifications, List of Goods, Bill of Quantities and Detail of Standards of Tender/Items

Sr.No	Description/Specifications /Standards	Quantity	Bid Rate per Unit (in Words)	Bid Rate Per Unit (in Figure)	Total Bid Cost/Amount

# Form of Covering Letter

[Lahore, Date]

The Registrar, University of Health Sciences, Lahore.

### Sub: <u>SUBMISSION OF BID</u>

Dear Sir,

- a) Having examined the Tender related documents we, the undersigned, in conformity with the said document, offer to provide the said items on terms of reference to be signed upon the award of contract for the sum indicated as per financial bid.
- **b)** We undertake, if our proposal is accepted, to provide the tender items within time frame specified, starting from the date of signing of the Contract.
- c) We agree to abide by our proposal for the period of _____ days from the date of bid opening and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- d) We agree to execute a Contract in the form to be communicated by the Purchaser.
- e) Unless and until a formal agreement is prepared and executed, this proposal together with your written acceptance thereof shall constitute a binding contract agreement.
- f) We understand that you are not bound either to accept the lowest or any bid you receive, or to give any reason for rejection of any bid and that you will not defray any expenses incurred by us in bidding.

Authorized Signatures with Official Seal

# FORM OF POWER OF ATTORNEY/LETTER OF AUTHORITY

(On Stamp Paper of relevant value or Company letter head duly signed and stamped)

Know all men by these presents, we (name of the company and address of the registered office) do hereby appoint and authorize Mr. (full name and residential address) who is presently employed with us and holding the position of (name of position) as our attorney, to do in our name and on our behalf, all such acts, deeds and things necessary in connection with or incidental to our proposal for (name of the assignment) in response to the Tender invited by the (name of the Purchaser) including signing and submission of all documents and providing information/responses to (name of the Purchaser) in all matters in connection with our Bid.

We hereby agree to ratify all acts, deeds and things lawfully done by our said attorney pursuant to this Power of Attorney and that all acts, deeds and things done by our aforesaid attorney shall always be deemed to have been done by us.

Dated this	day of	20

For ______

(Signature) (Name, Designation and Address) Accepted

(Signature) (Name, Title and Address of the Attorney) Date:

# FORM OF UNDERTAKING

# (on company letterhead)

It is certified that the information submitted/furnished herein as per Tender Document with regard to _________ is true and correct and nothing has been concealed or tampered with. We have gone through all the instructions and terms & conditions contained in the Tender Document for _______ and are liable to any punitive action for furnishing false information/documents.

Dated this ______ day of ______ 20_____

Signature

(Company Seal)

In the capacity of

Duly authorized to sign bids for and on behalf of:

# Form of Integrity Pact

We _(Name of the Bidder(s)/supplier)_ being the first duly sworn on oath submit, that Mr./Ms. ______ (if participating through agent / representative) is the agent / representative duly authorized by _(Name of the Bidder(s) company)_ hereinafter called the Contractor to submit the attached bid to the _(Name of the Purchaser)_. Affiant further states that the said M/s (Bidding Firm/Company Name) has not paid, given or donate or agreed to pay, given or donate to any officer or employee of the _(Name of the Purchaser)_ any money or thing of value, either directly or indirectly, for special consideration in the letting of the contract, or for giving undue advantage to any of the Bidder(s) in the bidding and in the evaluation and selection of the Bidder(s) for contract or other forms of non-compliance.

[The Seller/Supplier/Contractor] certifies that it has made and will make full disclosure of all agreements and arrangements with all persons in respect of or related to the transaction with the Purchaser and has not taken any action or will not take any action to circumvent the above declaration, representation or warranty.

[The Seller/Supplier/Contractor] accepts full responsibility and strict liability for making any false declaration, not making full disclosure, misrepresenting facts or taking any action likely to defeat the purpose of this declaration, representation and warranty. It agrees that any contract, right, interest, privilege or other obligation or benefit obtained or procured as aforesaid shall, without prejudice to any other right and remedies available to the Purchaser under any law, contract or other instrument, be voidable at the option of the Purchaser.

Notwithstanding any rights and remedies exercised by the Purchaser in this regard, [the Seller/Supplier/Contractor] agrees to indemnify the Purchaser for any loss or damage incurred by it on account of its corrupt business practices and further pay compensation to the Purchaser in an amount equivalent to ten times the sum of any commission, gratification, bribe, finder's fee or kickback given by [the Seller/Supplier/Contractor] as aforesaid for the purpose of obtaining or inducing the procurement of any contract, right, interest, privilege or other obligation or benefit in whatsoever form from the Purchaser.

Signature & Stamp

Subscribed and sworn to me this _____ day of _____ 20___

Notary Public

# 24. FORM OF CONTRACT

This CONTRACT AGREEMENT (this "Contract") made as of the [day] of [month], [year], between [Supreme Court of Pakistan] (the "Purchaser"), on the one part, and

**[full legal name of the Contractor],** on the other part severally liable to the Purchaser for all of the Contractor's obligations under this Contract and is deemed to be included in any reference to the term "the Contractor."

# RECITALS

# WHEREAS,

- (a) The Purchaser intends to spend a part of its budget/funds for making eligible payments under this Contract. Payments made under this contract will be subject, in all respects, to the terms and conditions of the Contract described herein.
- (b) The Purchaser has requested the Contractor to provide certain supply of Goods/Items as described in Tender Document; and
- (c) The Contractor, having represented to the Purchaser that it has the required financial resources, professional skills, and personnel resources, has agreed to provide the tender goods on the terms and conditions set forth in this Contract.
- (d) **NOW THEREFORE**, the Parties to this Contract agree as follows:
- 1. The Contractor hereby covenants with the Purchaser to supply the Goods and to remedy defects/damage therein, at the time and in the manner, in conformity in all respects with the provisions of the Contract, in consideration of the payments to be made by the Purchaser to the Contractor.
- 2. The Purchaser hereby covenants with the Contractor to pay the Contractor, the Contract Price or such other sum as may become payable, at the times and in the manner, in conformity in all respects with the provisions of the Contract, in consideration of supply of the Goods and remedying of defects/damage therein.
- 3. The following shall be deemed to form and be read and construed as part of this Contract:
  - i. The Tender Document
  - ii. Bidder(s)'s Proposal
  - iii. Terms and Conditions of the Contract
  - iv. The Technical Specifications
  - v. Tender Forms
  - vi. Price Schedule/Bid
  - vii. Affidavit(s)
  - viii. Authorized Dealership/Agency Certificate
- 4. This Contract shall prevail over all other documents. In the event of any discrepancy/ inconsistency within the Contract, the above Documents shall prevail in the order listed above.

IN WITNESS whereof the Parties hereto have caused this Contract to be executed in<br/>accordance with the laws of **Pakistan** as of the day, month and year first indicated above.For [University of Health Sciences, Lahore For[full legal name of the<br/>Pakistan]:On tractor

Signature	Signature
Name:	Name:
Witnessed By:	Witnessed By:
WITNESSES	
Signature	Signature
CNIC #	CNIC#
Name	Name
Designation	Designation
Address	Address

# 25. (GENERAL OR SPECIAL CONDITIONS OF CONTRACT

# 25.1. <u>Contract Documents and Information</u>

The Contractor shall neither disclose any document, specification, sample, information nor make use of the Contract or disclose any of the provisions contained therein, furnished by or on behalf of the Purchaser, without prior permission of the Purchaser, to any person other than a person employed by the Contractor in performance of the Contract and such disclosure shall be only for purpose of performance of the Contract.

# 25.2. <u>Contract Language</u>

The language of the Contract and other relevant documents between the Contractor and the Purchaser shall be English or Urdu or English & Urdu and in case of any translation the cost shall be borne by the Contractor.

# 25.3. Standards

The Goods provided/supplied under the Contract shall conform to latest industrial quality standards.

# 25.4. <u>Commercial Availability</u>

The commercial availability of the Goods required to be supplied under the Contract shall be ensured at the time of signing of the Contract.

# 25.5. Patent Rights

The Contractor shall indemnify and hold the Purchaser harmless against all third party claims of infringement of patent, trademark or industrial design rights arising from use/supply of the Goods or any part thereof.

# 25.6. <u>Execution Schedule</u>

The Contractor shall ensure delivery of Goods mentioned in the Bidding Document on top priority within 45 days of the intimation/receipt of work order.

# 25.7. <u>Delivery</u>

The Contractor shall deliver the Goods/Items at Jinnah Campus University of Health Sciences, KSK according to purchase/service order as specified by the Purchaser.

The Contractor shall be responsible for physical custody of the Goods until the delivery, testing and taking over of the Goods is completed.

The Goods shall be delivered completely by the Contractor and if there is any apprehension of incomplete delivery, the Contractor shall complete the missing delivery immediately at his expenses.

The Contractor is required to provide a comprehensive logistics plan including supporting details regarding transportation, mobilization and personnel scheduling during warranty period.

The Contractor shall arrange and pay for the transport and maintenance of the Goods to the place of destination as specified in the Contract.

# 25.8. <u>Inspection and Testing</u>

Inspection Committee shall inspect and test the Goods at the time of delivery in order to verify their conformity to the Technical Specifications. The Purchaser may reject the Goods if they are not in conformity to the Technical Specifications, in any test(s) or inspection(s) and the Contractor shall either replace the rejected Goods or make all alterations necessary to meet the Technical Specifications, within three working days, free of cost to the Purchaser.

The Purchaser's post-delivery right to inspect, test and, where necessary, reject the Goods shall in no way be limited or waived by reason of pre-delivery inspection, testing or passing of the Goods

Nothing contained in this document shall, in any way, release the Contractor from any Warranty or other obligations under the Contract.

# 25.9. Warranty

The Contractor shall warrant to the Purchaser Manufacturer's warranty for minimum one (1) year (hereinafter referred as Warranty Period) that the Goods supplied under the Contract are genuine, brand new, non-refurbished, un-altered, imported through proper channel, without any defect and incorporate all recent improvements in design and materials, unless provided otherwise in the Contract. The Contractor shall provide replacement of defective/damaged items within 24 hours of intimation. The Contractor shall clearly mention Terms and Conditions for the Goods supplied after the expiry of initial warranty period. The Client shall, by written notice served on the Contractor shall, within the prescribed time period, after receipt of such notice, replace the defective/damaged Goods or parts thereof, without any cost to the Purchaser. The end user licenses, end user warranties and end user contracting support Goods shall be in the name of Purchaser, for the Goods supplied under the Contract.

# 25.10. Ownership of Goods and Replaced Components

Goods to be supplied to the Purchaser, pursuant to the Contract, shall become the property of the Purchaser when the Goods are taken over by the Purchaser. Defective components to be replaced by the Contractor, pursuant to the Contract, shall become the property of the Contractor as and where it lies.

# 25.11. Defects Liability Expiry Certificate

The Contractor shall, after expiry of the warranty period, by written notice served on the Client with a copy to the Purchaser, apply for a Defects Liability Expiry Certificate.

The Client shall, within seven days of receipt of such notice, either issue the Defects Liability Expiry Certificate to the Contractor with a copy to the Purchaser, stating the date of expiry of the Warranty Period for all the Goods supplied and fulfillment of all obligations by the Contractor, under the Contract; or reject the application giving the reasons and specifying the work required to be done by the Contractor to enable the Defects Liability Expiry Certificate to be issued.

# 25.12. Payment

The Contractor shall provide all necessary supporting documents along with invoice.

The Contractor shall submit an Application for Payment to the Purchaser. The Application for Payment shall be accompanied by such invoices, receipts or other documentary evidence as the Purchaser may require; state the amount claimed; and set forth in detail, in the order of the Price Schedule, particulars of the Goods supplied upto the date of the Application for Payment and subsequent to the period covered by the last preceding Payment, if any.

The Purchaser shall get verified the details of Goods delivered against the invoice from the concerned Officer/ Inspection Committee and Payment shall be made on complete delivery of Goods after issuance of satisfactory certificate by concerned Officer/ Inspection Committee, as per details given in relevant Letter of Acceptance.

The Purchaser shall pay the amount verified within thirty (30) days. Payment shall not be made in advance and against partial deliveries. The Purchaser shall make payment for the Goods supplied to the Contractor, as per Government policy, in Pak Rupees, through treasury cheque.

Payment to contractor will be made after deduction of 5% retention money which will be released after expiry of the warranty period.

All payments shall be subject to any and all taxes, duties and levies applicable under the laws of Pakistan, for the whole period starting from issuance of Acceptance Letter till termination of the signed contract in this regard.

# 25.13. Price

The Contractor shall not charge prices for the Goods supplied and provided and for other obligations discharged, under the Contract, varying from the prices quoted by the Contractor in the Price Schedule.

# 25.14. Contract Amendment

The Purchaser may at any time, by written notice served to the Contractor, alter or amend the contract for any identified need/requirement in the light of prevailing rules and regulations.

The Contractor shall not execute any Change until and unless the Purchaser has allowed the said Change, by written order served on the Contractor with a copy to the Client.

The Change, mutually agreed upon, shall constitute part of the obligations under this Contract, and the provisions of the Contract shall apply to the said Change.

No variation or modification in the Contract shall be made, except by written amendment signed by both the Purchaser and the Contractor.

# 25.15. Assignment/Subcontract

The Contractor shall not assign or sub-contract its obligations under the Contract, in whole or in part, except with the Purchaser's prior written consent. The Contractor shall guarantee that any and/or all assignees / subcontractors of the Contractor shall, for performance of any part / whole of the work under the contract, comply fully with the terms and conditions of the Contract applicable to such part / whole of the work under the contract.

# 25.16. Liquidated Damages

If the Contractor fails / delays in performance of any of the obligations, under the Contract / violates any of the provisions of the Contract / commits breach of any of the terms and conditions of the Contract the Purchaser may, without prejudice to any other right of action / remedy it may have, deduct from the Contract Price, as liquidated damages, a sum of money @1% of the total Contract Price which is attributable to such part of the Goods, in consequence of the failure / delay, be put to the intended use, for every day between the scheduled delivery date(s), with any extension of time thereof granted by the Purchaser, and the actual delivery date(s). Provided that the amount so deducted shall not exceed, in the aggregate, **10%** of the Contract Price.

# 25.17. Blacklisting

If the Contractor fails / delays in performance of any of the obligations, under the Contract / violates any of the provisions of the Contract / commits breach of any of the terms and conditions of the Contract or found to have engaged in corrupt or fraudulent practices in competing for the award of contract or during the execution of the contract, the Purchaser may without prejudice to any other right of action / remedy it may have, blacklist the Contractor, either indefinitely or for a stated period, for future tenders in public sector, as per provision of Punjab Procurement Rules, 2014.

# 26. <u>Termination for Default</u>

If the Contractor fails / delays in performance of any of the obligations, under the Contract / violates any of the provisions of the Contract / commits breach of any of the terms and conditions of the Contract the Purchaser may, at any time, without prejudice to any other right of action / remedy it may have, by written notice served on the Contractor with a copy to the Client, indicate the nature of the default(s) and terminate the Contract, in whole or in part, without any compensation to the Contractor. Provided that the termination of the Contract shall be resorted to only if the Contractor does not cure its failure / delay, within fifteen working days (or such longer period as the Client may allow in writing), after receipt of such notice.

If the Purchaser terminates the Contract for default, in whole or in part, the Purchaser may procure, upon such terms and conditions and in such manner as it deems appropriate, Goods, similar to those undelivered, and the Contractor shall be liable to the Purchaser for any excess costs for such similar Goods. However, the Contractor shall continue performance of the Contract to the extent not terminated.

# 27. <u>Termination for Insolvency</u>

If the Contractor becomes Bankrupt or otherwise insolvent, the Purchaser may, at any time, without prejudice to any other right of action / remedy it may have, by written notice served on the Contractor with a copy to the Client, indicate the nature of the insolvency and terminate the Contract, in whole or in part, without any compensation to the Contractor.

# 28. <u>Force Majeure</u>

For the purpose of this contract "Force Majeure" means an event which is beyond the reasonable control of a party and which makes a party's performance of its obligations under the Contract impossible or so impractical as to be considered impossible under the circumstances, and includes, but is not limited to, War, Riots, Storm, Flood or other industrial actions (except where such strikes, lockouts or other industrial are within the power of the party invoking Force Majeure), confiscation or any other action by Government agencies.

If a Force Majeure situation arises, The Contractor shall, by written notice served on The Purchaser, indicate such condition and the cause thereof. Unless otherwise directed by The Purchaser in writing, The Contractor shall continue to perform under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

Force Majeure shall not include (i) any event which is caused by the negligence or intentional action of a Party or Agents or Employees, nor (ii) any event which a diligent Party could reasonably have been expected to both (A) take into account at the time of the conclusion of this Contract and (B) avoid or overcome in the carrying out of its obligations here under.

Force Majeure shall not include insufficiency of funds or failure to make any payment required hereunder.

# 29. Dispute Resolution and Redressal of Grievances by the Procuring Agency

- a. The Purchaser may constitute a Committee comprising of odd number of persons, with proper powers and authorizations, to address the complaints of Bidder(s) that may occur prior to enforcement of the Procurement Contract.
- b. Any Bidder(s) feeling aggrieved by any act of the Purchaser after the submission of bid may lodge a written complaint concerning grievances not later than ten days after the announcement of the bid evaluation report.
- c. The Committee may investigate and decide upon the complaint within fifteen days of the receipt of the complaint.
- d. Mere fact of lodging of a complaint shall not warrant suspension of the procurement process.
- e. The Purchaser and the Contractor shall make every effort to amicably resolve, by direct informal negotiation, any disagreement or dispute arising between them under or in connection with the Contract.

# 30. Taxes and Duties

The Contractor shall be entirely responsible for all taxes, duties and other such levies imposed make inquiries on income tax/Sales Tax to the concerned authorities of Income Tax and Sales Tax Department, Government of Pakistan/Punjab.

# 31. Contract Cost

The Contractor shall bear all costs / expenses associated with the preparation of the Contract and the Purchaser shall in no case be responsible / liable for those costs / expenses. The successful Bidder(s) shall provide legal Stamp Papers of relevant value according to Government

Incharge Purchase cell